MICROMATIC® STANDARD RESPONSE UPRIGHT SPRINKLER VK145 (K5.6)

The Viking Corporation, 210 N Industrial Park Drive, Hastings MI 49058 Telephone: 269-945-9501 Technical Services: 877-384-5464 Fax: 269-818-1680 Email: techsvcs@vikingcorp.com Visit the Viking website for the latest edition of this technical data page: www.vikinggroupinc.com

TECHNICAL DATA

1. DESCRIPTION

The Viking Micromatic[®] Standard Response Upright Sprinkler VK145 is a small, thermosensitive, glass-bulb spray sprinkler available in several different finishes, temperature ratings, and K-factors to meet design requirements. The special Polyester and Electroless Nickel PTFE (ENT) coatings can be used in decorative applications where colors are desired. In addition, these coatings have been investigated for installation in corrosive environments and are listed/approved as indicated in the Approval Chart(s). Viking standard response sprinklers may be ordered and/or used as open sprinklers (glass bulb and pip cap assembly removed) on deluge systems. Refer to Ordering Instructions.

2. LISTINGS AND APPROVALS

NIKING®

FM Approved: Class Series 2000

Vds VdS Approved: Certificate G414003 and G4980001

LPCB Approved: Certificate 096e/06

CE: Standard EN 12259-1, DOP Sprinklers_LPCB_5-2-19 and DOP_VK145ENT_25-5-20

China Approval: Approved according to China GB standard.

MED Certified: Standard EN 12259-1, EC-certificate 0832-MED-1003

NOTE: Other International approval certificates are available upon request. Refer to Approval Chart(s) and Design Criterion for Listing and Approval requirements that must be followed.

3. TECHNICAL DATA

Specifications:

Minimum Operating Pressure: 7 psi (0.5 bar)* Maximum Working Pressure: 175 psi (12 bar) wwp Factory tested hydrostatically to 500 psi (34.5 bar) Thread size: 1/2" NPT, 15 mm BSPT Nominal K-factor: 5.6 U.S. (80.6 metric**) Glass-bulb fluid temperature rated to -65 °F (-55 °C) Overall Length: 2-3/16" (56 mm) *cULus Listing, FM Approval, and NFPA 13 installs require a minimum of 7 psi (0.5 bar). The minimum operating pressure for LPCB and CE Approvals ONLY is 5 psi (0.35 bar). ** Metric K-factor measurement shown is in Bar. When pressure is measured in kPa, divide the metric K-factor shown by 10.0. **Material Standards:**

Frame Casting: Brass UNS-C84400 or QM Brass Deflector: Brass UNS-C23000 or Phosphor Bronze UNS-C51000 Bulb: Glass, nominal 5 mm diameter Belleville Spring Sealing Assembly: Nickel Alloy, coated on both sides with PTFE Tape Screw: Brass UNS-C36000 Pip Cap and Insert Assembly: Copper UNS-C11000 and Stainless Steel UNS-S30400 For Polyester Coated Sprinklers: Belleville Spring-Exposed For ENT Coated Sprinklers: Belleville Spring-Exposed, Screw and Pip Cap-ENT Coated

Ordering Information: Refer to Table 1.

4. INSTALLATION

Refer to appropriate NFPA Installation Standards.

5. OPERATION

During fire conditions, the heat-sensitive liquid in the glass bulb expands, causing the glass to shatter, releasing the pip cap and sealing spring assembly. Water flowing through the sprinkler orifice strikes the sprinkler deflector, forming a uniform spray pattern to extinguish or control the fire.



www.P65Warnings.ca.gov

NIKING®

TECHNICAL DATA

MICROMATIC® STANDARD RESPONSE UPRIGHT SPRINKLER VK145 (K5.6)

The Viking Corporation, 210 N Industrial Park Drive, Hastings MI 49058

Telephone: 269-945-9501 Technical Services: 877-384-5464 Fax: 269-818-1680 Email: techsvcs@vikingcorp.com Visit the Viking website for the latest edition of this technical data page: www.vikinggroupinc.com

INSPECTIONS, TESTS AND MAINTENANCE

Refer to NFPA 25 for Inspection, Testing and Maintenance requirements.

7. AVAILABILITY

6.

The Viking Micromatic[®] Standard Response Upright Sprinkler VK145 is available through a network of domestic and international distributors. See The Viking Corporation web site for the closest distributor or contact The Viking Corporation.

8. GUARANTEE

For details of warranty, refer to Viking's current list price schedule or contact Viking directly.

| | | | | • | | | | | | |
|---|--|--|---|--|--|--|---|---|-----------------------------|--|
| TABLE 1: ORDERING INFORMATIONInstructions: Using the sprinkler base part number,(1) add the suffix for the desired Finish(2) add the suffix for the desired Temperature Rating. | | | | | | | | | | |
| Sprinkler | S | Size | 1: Finishes | 1: Finishes | | | 2: Temperature | e Ratings | | |
| Base Part No. | NPT BSPT Inch mm | | Description | Suffix ¹ | Nominal Rating | Bulb Color | Hazard Classification | Max. Ambient Ceiling | Suffix | |
| 13001 | 1/2 | | Brass | А | 135 °F (57 °C) | Orange | Ordinary | 100 °F (38 °C) | A | |
| 12990 | | 15 | Chrome | F | 155 °F (68 °C) | Red | Ordinary | 100 °F (38 °C) | В | |
| 20228 ⁸ | | 15 | White Polyester | M-/W | 175 °F (79 °C) | Yellow | Intermediate | 150 °F (65 °C) | D | |
| | 1 | • | Black Polyester | M-/B | 200 °F (93 °C) | Green | Intermediate | 150 °F (65 °C) | E | |
| | | | Wax | С | 212 °F (100 °C) | Green | Intermediate | 150 °F (65 °C) | М | |
| | | | Wax over Polyester | V-/W | 286 °F (141 °C) | Blue | High | 225 °F (107 °C) | G | |
| | ENT 3 JN 360 °F (182 °C) Mauve Extra High 300 °F (149 °C) H | | | | | | | | | |
| | | | | | 500 °F (260 °C) | Black | Ultra High ⁶ | 465 °F (240 °C) | 1 | |
| ENT in all Wax-Coate | temperat ed Brass | ure ratings and Wax o | vester in all temperatu except 135 °F (57 °C) ver Polyester ⁷ for sprin 175 °F (79 °C) Brov |). hklers with | the following temp | | |) Dk. Brown Wax ⁷ | | |
| Accessorie | | | 1 - (/ | I | (11) | | <u> </u> | / | | |
| Sprinkler Wrenches (see Figure 1): A. Standard Wrench: Part No. 21475M/B B. Standard Wrench for Wax Coated Sprinklers: Part No. 10896W/B C. Socket Wrench for Recessed Pendent Sprinklers: Part No. 13655W/B (A 1/2" ratchet is required, not available from Viking) D. Socket Wrench for Wax Coated Sprinklers: Part No. 13577W/B (A 1/2" ratchet is required, not available from Viking) E. Optional Protective Sprinkler Cap Remover/Escutcheon Installer Tool⁹: Part No. 15915 Sprinkler Cabinet: A. Up to 6 sprinklers: Part number 01724A (available since 1971). B. 6-12 Sprinklers: Part number 01725A (available since 1971). | | | | | | | | | | |
| Footnotes | | | | | | | | | | |
| 2. Based on N Jurisdiction. 3. FM Approve 4. The corrosic These tests suitable for t | FPA 13, N Refer to s d corrosio on resistar cannot ar he propos | NFPA 13R, a specific instal in resistant. It and corros ind do not rep sed environm | llation standards. ion proofing coatings hav present all possible corro | ts may app e passed th sive environ lers, the coa | ly, depending on fire the standard corrosion iments. Prior to instal atings indicated are a | test require lation, verif | rinkler location, and ed by the approving y through the end-u- e exposed exterior su | other requirements of the Autho agencies indicated in the Approva ser that the coatings are compati urfaces only. Note that the spring | al Chart(s). ble with or | |
| Sprinklers of Where the a | f Ultra-Hig mbient ter | h temperatu nperature ar | re rating are intended for ound the Ultra-High tempe) for 286 °F (141 °C) temp | use inside o erature rateo erature rate | ovens, dryers, or simi d sprinkler is significa | lar enclosu ntly reduced e inforamat | ures with normal ope below 300 °F (149 ° | rating temperatures above 300 °f °C), response time may be severe latings, refer to Bulletin Form No. | ly retarded | |


7. Allows use from the floor by attaching a length of 1" diameter CPVC tubing to the tool. Ideal for sprinkler cabinets. Refer to Bulletin F_051808.


8. Approved according to China GB Standard.



MICROMATIC[®] STANDARD RESPONSE UPRIGHT SPRINKLER VK145 (K5.6)

The Viking Corporation, 210 N Industrial Park Drive, Hastings MI 49058 Telephone: 269-945-9501 Technical Services: 877-384-5464 Fax: 269-818-1680 Email: techsvcs@vikingcorp.com Visit the Viking website for the latest edition of this technical data page: www.vikinggroupinc.com







TECHNICAL DATA

MICROMATIC® STANDARD RESPONSE UPRIGHT SPRINKLER VK145 (K5.6)

The Viking Corporation, 210 N Industrial Park Drive, Hastings MI 49058 Telephone: 269-945-9501 Technical Services: 877-384-5464 Fax: 269-818-1680 Email: techsvcs@vikingcorp.com Visit the Viking website for the latest edition of this technical data page: www.vikinggroupinc.com

| Approval Chart 1 Micromatic [®] Standard Response Upright Sprinkler VK145 Maximum 175 PSI (12 bar) WWP | | | | | | | | | | | | |
|---|---|--|---|--|--|---|----------------------------|----------------|----------------|--------|--------|-------------------|
| Base Part | SIN | Thread Size | | Nominal K-factor | | Overall Length | | | | | | |
| Number ¹ | | NPT | BSPT | U.S. | metric ² | Inches | mm | VdS | LPCB | C€⁴ | ⁵ ⊛ | China Approval |
| 13001 | VK145 | 1/2" | 15 mm | 5.6 | 80.6 | 2-3/16 | 56 | A1 | A1, B2 | A1, D4 | C1 | |
| 12990 | VK145 | | 15 mm | 5.6 | 80.6 | 2-3/16 | 56 | A1 | A1, B2 | A1, D4 | C1 | |
| 20228 ⁶ | VK145 | | 15 mm | 5.6 | 80.6 | 2-3/16 | 56 | | | | | D3 |
| | | | NOTICE - | Product Be | low - Limite | d Availabilit | y (Contact | Local Vikin | g Office) | | | |
| 10233 | VK145 | 1/2" | 15 mm | 5.6 | 80.6 | 2-3/16 | 56 | A1 | A1, B2 | A1 | C1 | |
| 10174 | VK145 | | 15 mm | 5.6 | 80.6 | 2-3/16 | 56 | A1 | A1, B2 | | C1 | |
| Approved Temperature Ratings Approved Temperature Ratings Approved Finishes A - 135 °F (57 °C), 155 °F (68 °C), 175 °F (79 °C), 200 °F (93 °C), 286 °F (141 °C), and 360 °F (182 °C) 1 - Brass, Chrome, White Polyester, and Black Polyester B - 135 °F (57 °C), 155 °F (68 °C), 175 °F (79 °C), and 200 °F (93 °C) 2 - Wax-Coated Brass and Wax over Polyester C - 155 °F (68 °C), 175 °F (79 °C), 200 °F (93 °C), 286 °F (141 °C), and 360 °F (182 °C) 3 - Chrome D - 155 °F (68 °C), 175 °F (79 °C), 200 °F (93 °C), 286 °F (141 °C) 4 - ENT | | | | | | | | | | | yester | |
| | | | | | / | Footnotes | | | | | | |
| ² Metric K-fact ³ This table sh ⁴ CE: Standar ⁵ MED Certifie | umber is shown or shown is for hows the listing rd EN 12259-1 ed, Standard E ccording to Chi | use when ls and ap Declarati N 12259- | pressure is n provals avail on of Perforr 1, EC-certific | neasured in t able at the ti mance DOP | to Viking's c par. When pre me of printin SPRINKLEF | urrent price essure is mea g. Check wit | sured in kPa h the manu | facturer for a | any additional | | | |

F_080614 for general care, installation, and maintenance information. Viking sprinklers are to be installed in accordance with the latest edition of Viking technical data, the appropriate standards of NFPA, LPCB, APSAD, VdS or other similar organizations, and also with the provisions of governmental codes, ordinances, and standards, whenever applicable.



TECHNICAL DATA

MICROMATIC® STANDARD RESPONSE UPRIGHT SPRINKLER VK145 (K5.6)

The Viking Corporation, 210 N Industrial Park Drive, Hastings MI 49058 Telephone: 269-945-9501 Technical Services: 877-384-5464 Fax: 269-818-1680 Email: techsvcs@vikingcorp.com Visit the Viking website for the latest edition of this technical data page: www.vikinggroupinc.com

| Approval Chart 2 (FM) Micromatic [®] Standard Response Upright Sprinkler VK145 Maximum 175 PSI (12 bar) WWP | | | | | | | | | |
|--|---|--|--------------------------------|--------------------------|--|----------------|-------------|--|--|
| Sprinkler Base | SIN | Thread Size | | Nominal K-factor | | Overall Length | | FM Approvals ³ | |
| Part Number ¹ | | NPT | BSPT | U.S. | metric ² | Inches | mm | (Refer also to Design Criteria below.) | |
| 13001 | VK145 | 1/2" | 15 mm | 5.6 | 80.6 | 2-3/16 | 56 | A1, B2, C3, D1, E4 | |
| 12990 | 12990 VK145 15 mm | | | 5.6 | 80.6 | 2-3/16 | 56 | A1, B2, D1, E4 | |
| 20228 ⁶ VK145 15 mm | | | | 5.6 | 80.6 | 2-3/16 | 56 | F5 | |
| | | NOTICE - | Product Be | low - Limite | ed Availabili | ty (Contact I | Local Vikir | ng Office) | |
| 10233 | VK145 | 1/2" | 15 mm | 5.6 | 80.6 | 2-3/16 | 56 | A1, B2, C3, D1 | |
| 10174 | VK145 | | 15 mm | 5.6 | 80.6 | 2-3/16 | 56 | A1, B2, D1 | |
| Approve A - 135 °F (57 °C), °F (93 °C), 212 ° °F (182 °C) B - 135 °F (57 °C), 200 °F (93 °C) C - 286 °F (141 °C) D - 500 °F (260 °C)' E - 155 °F (68 °C), 1 (100 °C), and 28 F -155 °F (68 °C), 286 °F (141 °C) | 1 - Brass, 2 - White 3 - 200 °F tempe 4 - ENT ⁵ 5 - Chrom | Polyester and (93 °C) Higl rature allowe | nite Polyester, d Wax-Coate | d Brass (co e Wax Coa | : Polyester prrosion resistant) ating (corrosion resistant); maximum ambient | | | | |
| Footnotes ¹ Base part number is shown. For complete part number, refer to Viking's current price schedule. | | | | | | | | | |
| ² Metric K-factor shown is for use when pressure is measured in bar. When pressure is measured in kPa, divide the metric K-factor shown by 10.0 | | | | | | | | | |

Metric K-factor shown is for use when pressure is measured in bar. When pressure is measured in kPa, divide the metric K-factor shown by 10.0.

³ This table shows the listings and approvals available at the time of printing. Check with the manufacturer for any additional approvals.

⁴ Sprinklers of Ultra-High temperature rating are intended for use inside ovens, dryers, or similar enclosures with normal operating temperatures above 300 °F (149 °C). Where the ambient temperature around the Ultra-High temperature rated sprinkler is significantly reduced below 300 °F (149 °C), the response time of the Ultra-High temperature rated sprinkler may be severely retarded.

⁵ FM Approved as corrosion resistant.

⁶ Approved according to China GB standard

DESIGN CRITERIA - FM

(Also refer to Approval Chart 2 above.)

FM Approval Requirements:

Sprinkler VK145 is FM Approved as standard response **Non-Storage** upright sprinklers as indicated in the FM Approval Guide. For specific application and installation requirements, reference the latest applicable FM Loss Prevention Data Sheets (including Data Sheet 2-0). FM Global Loss Prevention Data Sheets contain guidelines relating to, but not limited to: minimum water supply requirements, hydraulic design, ceiling slope and obstructions, minimum and maximum allowable spacing, and deflector distance below the ceiling.

NOTE: The FM installation guidelines may differ from cULus and/or NFPA criteria.

IMPORTANT: Always refer to Bulletin Form No. F_091699 - Care and Handling of Sprinklers. Also refer to Bulletin Form No. F_080614 for general care, installation, and maintenance information. Viking sprinklers are to be installed in accordance with the latest edition of Viking technical data, the appropriate standards of NFPA, FM Global, LPCB, APSAD, VdS or other similar organizations, and also with the provisions of governmental codes, ordinances, and standards, whenever applicable.



CARE AND HANDLING OF SPRINKLERS

The Viking Corporation, 210 N Industrial Park Drive, Hastings MI 49058 Telephone: 269-945-9501 Technical Services: 877-384-5464 Fax: 269-818-1680 Email: techsvcs@vikingcorp.com

SPRINKLERS ARE FRAGILE - HANDLE WITH CARE!

General Handling and Storage:

· Store sprinklers in a cool, dry place.

- Protect sprinklers during storage, transport, handling, and after installation.
- Use the original shipping containers. DO NOT place sprinklers loose in boxes, bins, or buckets.
- · Keep sprinklers separated at all times. DO NOT allow metal parts to contact sprinkler operating elements.

For Pre-Assembled Drops:

- · Protect sprinklers during handling and after installation.
- For recessed assemblies, use the protective sprinkler cap (Viking Part Number 10364).

Sprinklers with Protective Shields or Caps:

- · DO NOT remove shields or caps until after sprinkler installation and there no longer is potential for mechanical damage to the sprinkler operating elements.
- · Sprinkler shields or caps MUST be removed BEFORE placing the system in service!
- Remove the sprinkler shield by carefully pulling it apart where it is snapped together.
- Remove the cap by turning it slightly and pulling it off the sprinkler.

Sprinkler Installation:


- · DO NOT use the sprinkler deflector or operating element to start or thread the sprinkler into a fitting.
- · Use only the designated sprinkler head wrench! Refer to the current sprinkler technical data page to determine the correct wrench for the model of sprinkler used.
- · DO NOT install sprinklers onto piping at the floor level.
- Install sprinklers after the piping is in place to prevent mechanical damage.
- DO NOT allow impacts such as hammer blows directly to sprinklers or to fittings, pipe, or couplings in close proximity to sprinklers. Sprinklers can be damaged from direct or indirect impacts.
- · DO NOT attempt to remove drywall, paint, etc., from sprinklers.
- Take care not to over-tighten the sprinkler and/or damage its operating parts! Maximum Torque:

| 1/2" NPT: | 14 ft-lbs. (19.0 N-m) |
|-----------|-----------------------|
| 3/4" NPT: | 20 ft-lbs. (27.1 N-m) |
| 1" NPT: | 30 ft-lbs. (40.7 N-m) |



(Original container used)

(Placed loose in box)



(Protected with caps)

(Protective caps not used)



CORRECT (Piping is in place at the ceiling)

INCORREC1 (Sprinkler at floor level)



CORRECT (Special installation wrenches)

INCORRECT





Any sprinkler with a loss of liquid from the glass bulb or damage to the fusible element should be destroyed. Never install sprinklers that have been dropped, damaged, or exposed to temperatures exceeding the maximum ambient temperature allowed. Sprinklers that have been painted in the field must be replaced per NFPA 13. Protect sprinklers from paint and paint overspray in accordance with the installation standards. Do not clean sprinklers with soap and water, ammonia, or any other cleaning fluid. Do not use adhesives or solvents on sprinklers or their operating elements.

Refer to the appropriate technical data page and NFPA standards for complete care, handling, installation, and maintenance instructions. For additional product and system information Viking data pages and installation instructions are available on the Viking Web site at www.vikinggroupinc.com.



CARE AND HANDLING OF SPRINKLERS

The Viking Corporation, 210 N Industrial Park Drive, Hastings MI 49058

Telephone: 269-945-9501 Technical Services: 877-384-5464 Fax: 269-818-1680 Email: techsvcs@vikingcorp.com

PROTECTIVE SPRINKLER SHIELDS AND CAPS

General Handling and Storage:

Many Viking sprinklers are available with a plastic protective cap or shield temporarily covering the operating elements. The snapon shields and caps are factory installed and are intended to help protect the operating elements from mechanical damage during shipping, storage, and installation. NOTE: It is still necessary to follow the care and handling instructions on the appropriate sprinkler technical data sheets* when installing sprinklers with bulb shields or caps.

WHEN TO REMOVE THE SHIELDS AND CAPS:

NOTE: SHIELDS AND CAPS MUST BE REMOVED FROM SPRINKLERS BEFORE PLACING THE SYSTEM IN SERVICE!

Remove the shield or cap from the sprinkler only after checking all of the following:

• The sprinkler has been installed*.

• The wall or ceiling finish work is completed where the sprinkler is installed and there no longer is a potential for mechanical damage to the sprinkler operating elements.

SHIELDS AND CAPS MUST BE REMOVED FROM SPRINKLERS BEFORE PLACING THE SYSTEM IN SERVICE!



Figure 1: Sprinkler shield being removed from a pendent sprinkler.








Figure 3: Sprinkler cap being removed from and upright sprinkler.

HOW TO REMOVE SHIELDS AND CAPS:

No tools are necessary to remove the shields or caps from sprinklers. DO NOT use any sharp objects to remove them! **Take care not to cause mechanical damage to sprinklers when removing the shields or caps.** When removing caps from fusible element sprinklers, use care to prevent dislodging ejector springs or damaging fusible elements. NOTE: Squeezing the sprinkler cap excessively could damage sprinkler fusible elements.

- To remove the shield, simply pull the ends of the shield apart where it is snapped together. Refer to Figure 1.
- To remove the cap, turn it slightly and pull it off the sprinkler. Refer to Figures 2 and 3.

NOTICE Refer to the current sprinkler technical data page to determine the correct sprinkler wrench for the model of sprinkler used.

A WARNING Never install sprinklers that have been dropped, damaged, or exposed to temperatures in excess of the maximum ambient temperature allowed.

* Refer to the appropriate current technical data pages for complete care, handling, and installation instructions. Data pages are included with each shipment from Viking or Viking distributors. They can also be found on the Web site at www. vikinggroupinc.com.



CARE AND HANDLING OF SPRINKLERS

The Viking Corporation, 210 N Industrial Park Drive, Hastings MI 49058 Telephone: 269-945-9501 Technical Services: 877-384-5464 Fax: 269-818-1680 Email: techsvcs@vikingcorp.com

ACAUTION CONCEALED COVER ASSEMBLIES ARE FRAGILE! TO ASSURE SATISFACTORY PERFORMANCE OF THE PRODUCT, HANDLE WITH CARE.



GENERAL HANDLING AND STORAGE INSTRUCTIONS:

- Do not store in temperatures exceeding 100 °F (38 °C). Avoid direct sunlight and confined areas subject to heat.
- Protect sprinklers and cover assemblies during storage, transport, handling, and after installation.
- -- Use original shipping containers.
- -- Do not place sprinklers or cover assemblies loose in boxes, bins, or buckets.
- Keep the sprinkler bodies covered with the protective sprinkler cap any time the sprinklers are shipped or handled, during testing of the system, and while ceiling finish work is being completed.
- Use only the designated Viking recessed sprinkler wrench (refer to the appropriate sprinkler data page) to install these sprinklers. **NOTE:** The protective cap is temporarily removed during installation and then placed back on the sprinkler for protection until finish work is completed.
- Do not over-tighten the sprinklers into fittings during installation.
- Do not use the sprinkler deflector to start or thread the sprinklers into fittings during installation.
- · Do not attempt to remove drywall, paint, etc., from the sprinklers.
- Remove the plastic protective cap from the sprinkler before attaching the cover plate assembly. **PROTECTIVE CAPS** <u>MUST</u> **BE REMOVED FROM SPRINKLERS BEFORE PLACING THE SYSTEM IN SERVICE!**

Refer to the appropriate current technical data pages for complete care, handling, and installation instructions. Data pages are included with each shipment from Viking or Viking distributors. They can also be found on the Web site at www. vikinggroupinc.com.

NIKING

BULLETIN

CARE AND HANDLING OF SPRINKLERS

The Viking Corporation, 210 N Industrial Park Drive, Hastings MI 49058

Telephone: 269-945-9501 Technical Services: 877-384-5464 Fax: 269-818-1680 Email: techsvcs@vikingcorp.com

USE THE FOLLOWING PRECAUTIONS WHEN HANDLING WAX-COATED SPRINKLERS

Many of Viking's sprinklers are available with factory-applied wax coating for corrosion resistance. These sprinklers MUST receive appropriate care and handling to avoid damaging the wax coating and to assure satisfactory performance of the product.

General Handling and Storage of Wax-Coated Sprinklers:

- Store the sprinklers in a cool, dry place (in temperatures below the maximum ambient temperature allowed for the sprinkler temperature rating. Refer to Table 1 below.)
- · Store containers of wax-coated sprinklers separate from other sprinklers.
- Protect the sprinklers during storage, transport, handling, and after installation.
- Use original shipping containers.
- · Do not place sprinklers in loose boxes, bins, or buckets.

Installation of Wax-Coated Sprinklers:

Use only the special sprinkler head wrench designed for installing wax-coated Viking sprinklers (any other wrench may damage the unit).

- Take care not to crack the wax coating on the units.
- For touching up the wax coating after installation, wax is available from Viking in bar form. Refer to Table 1 below. The coating MUST be repaired after sprinkler installation to protect the corrosion-resistant properties of the sprinkler.
- Use care when locating sprinklers near fixtures that can generate heat. Do not install sprinklers where they would be exposed to temperatures exceeding the maximum recommended ambient temperature for the temperature rating used.
- Inspect the coated sprinklers frequently soon after installation to verify the integrity of the corrosion resistant coating. Thereafter, inspect representative
 samples of the coated sprinklers in accordance with NFPA 25. Close up visual inspections are necessary to determine whether the sprinklers are being
 affected by corrosive conditions.

| TABLE 1 | | | | | | | | | | |
|---|--------------------|-------------------|---|-------------|--|--|--|--|--|--|
| Sprinkler Temperature Rating (Fusing Point) | Wax Part Number | Wax Melting Point | Maximum Ambient Ceiling Temperature ¹ | Wax Color | | | | | | |
| 155 °F (68 °C) / 165 °F (74 °C) | 02568A | 148 °F (64 °C) | 100 °F (38 °C) | Light Brown | | | | | | |
| 175 °F (79 °C) | 04146A | 161 °F (71 °C) | 150 °F (65 °C) | Brown | | | | | | |
| 200 °F (93 °C) | 04146A | 161 °F (71 °C) | 150 °F (65 °C) | Brown | | | | | | |
| 220 °F (104 °C) | 02569A | 170 °F (76 °C) | 150 °F (65 °C) | Dark Brown | | | | | | |
| 286 °F (141 °C) | 02569A | 170 °F (76 °C) | 150 °F (65 °C) | Dark Brown | | | | | | |
| ¹ Based on NEPA-13. Other limits may apply depending on fire loading, sprinkler location, and other requirements of the Authority Having | | | | | | | | | | |

Based on NFPA-13. Other limits may apply, depending on fire loading, sprinkler location, and other requirements of the Authority Having Jurisdiction. Refer to specific installation standards.

Never install sprinklers that have been dropped, damaged, or exposed to temperatures in excess of the maximum ambient temperature allowed.

Refer to the appropriate current technical data pages for complete care, handling, and installation instructions. Data pages are included with each shipment from Viking or Viking distributors. They can also be found on the Web site at www. vikinggroupinc.com.



REGULATORY AND HEALTH WARNINGS

The Viking Corporation, 210 N Industrial Park Drive, Hastings MI 49058 Telephone: 269-945-9501 Technical Services: 877-384-5464 Fax: 269-818-1680 Email: techsvcs@vikingcorp.com Visit the Viking website for the latest edition of this technical data page www.vikinggroupinc.com

1. DESCRIPTION

Regulatory and Health Warnings applying to materials used in the manufacture and construction of fire protection products are provided herin as they relate to legally mandated jurisdictional regions.

WARNING

STATE OF CALIFORNIA, USA

Installing or servicing fire protection products such as sprinklers, valves, piping etc. can expose you to chemicals including, but not limited to, lead, nickel, butadiene, titaninum dioxide, chromium, carbon black, and acrylonitrile which are known to the State of California to cause cancer or birth defects or other reproductive harm.

For more information, go to www.P65Warnings.ca.gov

2. WARRANTY TERMS AND CONDITIONS

For details of warranty, refer to Viking's current list price schedule at www.vikinggroupinc.com or contact Viking directly.