



Section J Flexible Sprinkler Connections

TABLE OF CONTENTS

Braided - Model FSC-28B Flexible Sprinkler Connections	J-1
Unbraided - Model FSC-25U Flexible Sprinkler Connections	J-1
Model FSC Replacement Parts and Accessories	J-1
Model FSC Flexible Sprinkler Connections (pre-assembled w/ sprinkler).....	J-2 – J-4
<i>FSC Sprinkler Assemblies – Quick Response ½ NPT Sprinklers.....</i>	<i>J-2</i>
<i>FSC Sprinkler Assemblies – Extended Coverage and QR 8.0 K Factor Sprinklers.....</i>	<i>J-3</i>
<i>FSC Sprinkler Assemblies – Extended Coverage and Mirage® Concealed Sprinklers</i>	<i>J-4</i>

Notes

1. Refer to Viking technical data pages for complete product specifications. You may print or download technical data by visiting www.vikinggroupinc.com.
2. Cover plates, escutcheons, and sprinklers are available in custom colors at an additional charge. See pages F-8 and F-9 for details.
3. List prices effective June 4, 2016. Supersedes May 2015 list price book.
4. All sales by Viking are subject to the Terms & Conditions found on the last page of this book.

Mirage® is a registered trademark of The Viking Corporation



Scan for FSC Mobile Site



Unbraided - Model FSC-25U Flexible Sprinkler Connections							
Part #	Hose Type	Hose Length ¹	Inlet	Outlet	IPG	List (each)	Box Qty
18356-10	Unbraided (25 mm)	39-3/8" (1000 mm)	1" NPT	1/2" NPT (straight)	V35	\$59.34	5
18357-10	Unbraided (25 mm)	39-3/8" (1000 mm)	1" NPT	3/4" NPT (straight)	V35	\$59.34	5
18356-15	Unbraided (25 mm)	59" (1500 mm)	1" NPT	1/2" NPT (straight)	V35	\$65.44	5
18357-15	Unbraided (25 mm)	59" (1500 mm)	1" NPT	3/4" NPT (straight)	V35	\$65.44	5

Braided - Model FSC-28B Flexible Sprinkler Connections							
Part #	Hose Type	Hose Length ¹	Inlet	Outlet	IPG	List (each)	Box Qty
18731-10	Braided (28 mm)	39-3/8" (1000 mm)	1" NPT	1/2" NPT (straight)	V35	\$76.11	5
18732-10	Braided (28 mm)	39-3/8" (1000 mm)	1" NPT	3/4" NPT (straight)	V35	\$76.11	5
18731-15	Braided (28 mm)	59" (1500 mm)	1" NPT	1/2" NPT (straight)	V35	\$87.66	5
18732-15	Braided (28 mm)	59" (1500 mm)	1" NPT	3/4" NPT (straight)	V35	\$87.66	5

- (1) Additional lengths are available as special order with a 12 week minimum lead time.
Please contact Viking SupplyNet customer service for price and availability.
- (2) Straight outlet fitting is standard. See below for kit to convert to 90 degree angle outlet.

Description	Part #	List Price
Kits to Convert to 90° Angle Outlet - 25mm unbraided hose		
90° fitting kit (1) - 1/2" x 25mm hose	18311	\$15.21
90° fitting kit (1) - 3/4" x 25mm hose	18312	\$15.21
Kits to Convert to 90° Angle Outlet - 28mm braided hose		
90° fitting kit (1) - 1/2" x 28mm hose	18725	\$15.21
90° fitting kit (1) - 3/4" x 28mm hose	18726	\$15.21
Optional Accessories and Replacement Components		
Optional 4" bend radius gauge tool	15450	\$6.72
Optional 4" fixed radius clip	14403	\$5.39
Square Bar for 2 Foot Spacing	18282	\$4.75
Square Bar for 4 Foot Spacing	18283	\$9.20
Outside Bracket	18284	POA
Inside Bracket	18285	POA
Center Bracket Assembly	18286	\$11.41
Wing Screw, M6 x 1" (25mm)	18287	\$0.65
Outlet Reducing Nipple, 1/2" NPT	18288	\$9.51
Outlet Reducing Nipple, 3/4" NPT	18289	\$9.51
Wing Screw, M6 x 2 3/4" (70mm)	18292	\$3.81
O-Ring	18293	POA
Wing ScREW, M6 x 3/4" (20mm)	14401	POA

Ready to install right out of the box!
<p><i>Viking's new flexible sprinkler connections provide the ultimate ease of installation for most suspended tile ceilings!</i></p> <p><i>Innovative attachment bracket is factory-assembled and ready to install out of the box, without additional loose parts.</i></p>

* Refer to Viking Technical Data Pages for complete product details.

Pre-Assembled FSC Flexible Sprinkler Connection Packages (with Sprinkler)

Viking offers certain sprinklers factory-installed onto the flexible connection's outlet reducer fitting. These kits, which are assembled in the USA, are 100% pressure tested and are pre-packed with 10 units per box. Assemblies with recessed sprinklers include matching escutcheon finish (type as specified). Cover plates must be ordered separately for assemblies with concealed sprinklers.



Part Number System - EXAMPLE

06720BFB/2812/1F	>>>	06720BFB	/	2812	/	1F
<u>complete part number</u>		part 1 sprinkler part #		part 2 hose size & outlet NPT		part 3 escutcheon type/finish

Escutcheon Codes

type	finish
1= E1 threaded	F= chrome
2= E2 push-on	W= white
3= F1 adjustable	

Part Number	Spk	K fctr	Temp	Sprinkler Finish	Flex Hose Type	Escutcheon	IPG	List (ea)
VK329, 2.8 K factor, QR, Pendent and 25mm Unbraided Flex Hose (FSC-25U) - 1/2 NPT								
12981FB/2512/1F	VK329	2.8 K	155°F	Polished Chrome	Unbraided (1/2" NPT)	E-1 recessed	V35.1	\$45.45
12981FB/2512/2F	VK329	2.8 K	155°F	Polished Chrome	Unbraided (1/2" NPT)	E-2 threaded	V35.1	\$45.45
12981FB/2512/3F	VK329	2.8 K	155°F	Polished Chrome	Unbraided (1/2" NPT)	F-1 adjustable	V35.1	\$48.25
12981MB/W/2512/1W	VK329	2.8 K	155°F	Painted White	Unbraided (1/2" NPT)	E-1 recessed	V35.1	\$45.45
12981MB/W/2512/2W	VK329	2.8 K	155°F	Painted White	Unbraided (1/2" NPT)	E-2 threaded	V35.1	\$45.45
12981MB/W/2512/3W	VK329	2.8 K	155°F	Painted White	Unbraided (1/2" NPT)	F-1 adjustable	V35.1	\$48.25
VK329, 2.8 K factor, QR, Pendent and 28mm Braided Flex Hose (FSC-28B) - 1/2 NPT								
12981FB/2812/1F	VK329	2.8 K	155°F	Polished Chrome	Braided (1/2" NPT)	E-1 recessed	V35.1	\$45.45
12981FB/2812/2F	VK329	2.8 K	155°F	Polished Chrome	Braided (1/2" NPT)	E-2 threaded	V35.1	\$45.45
12981FB/2812/3F	VK329	2.8 K	155°F	Polished Chrome	Braided (1/2" NPT)	F-1 adjustable	V35.1	\$48.25
12981MB/W/2812/1W	VK329	2.8 K	155°F	Painted White	Braided (1/2" NPT)	E-1 recessed	V35.1	\$45.45
12981MB/W/2812/2W	VK329	2.8 K	155°F	Painted White	Braided (1/2" NPT)	E-2 threaded	V35.1	\$45.45
12981MB/W/2812/3W	VK329	2.8 K	155°F	Painted White	Braided (1/2" NPT)	F-1 adjustable	V35.1	\$48.25
VK331, 4.2 K factor, QR, Pendent and 25mm Unbraided Flex Hose (FSC-25U) - 1/2 NPT								
06720BFB/2512/1F	VK331	4.2 K	155°F	Polished Chrome	Unbraided (1/2" NPT)	E-1 recessed	V35.1	\$44.30
06720BFB/2512/2F	VK331	4.2 K	155°F	Polished Chrome	Unbraided (1/2" NPT)	E-2 threaded	V35.1	\$44.30
06720BFB/2512/3F	VK331	4.2 K	155°F	Polished Chrome	Unbraided (1/2" NPT)	F-1 adjustable	V35.1	\$47.09
06720BMB/W/2512/1W	VK331	4.2 K	155°F	Painted White	Unbraided (1/2" NPT)	E-1 recessed	V35.1	\$44.30
06720BMB/W/2512/2W	VK331	4.2 K	155°F	Painted White	Unbraided (1/2" NPT)	E-2 threaded	V35.1	\$44.30
06720BMB/W/2512/3W	VK331	4.2 K	155°F	Painted White	Unbraided (1/2" NPT)	F-1 adjustable	V35.1	\$47.09
VK331, 4.2 K factor, QR, Pendent and 28mm Braided Flex Hose (FSC-28B) - 1/2 NPT								
06720BFB/2812/1F	VK331	4.2 K	155°F	Polished Chrome	Braided (1/2" NPT)	E-1 recessed	V35.1	\$44.30
06720BFB/2812/2F	VK331	4.2 K	155°F	Polished Chrome	Braided (1/2" NPT)	E-2 threaded	V35.1	\$44.30
06720BFB/2812/3F	VK331	4.2 K	155°F	Polished Chrome	Braided (1/2" NPT)	F-1 adjustable	V35.1	\$47.09
06720BMB/W/2812/1W	VK331	4.2 K	155°F	Painted White	Braided (1/2" NPT)	E-1 recessed	V35.1	\$44.30
06720BMB/W/2812/2W	VK331	4.2 K	155°F	Painted White	Braided (1/2" NPT)	E-2 threaded	V35.1	\$44.30
06720BMB/W/2812/3W	VK331	4.2 K	155°F	Painted White	Braided (1/2" NPT)	F-1 adjustable	V35.1	\$47.09
VK302, 5.6 K factor, QR, Pendent and 25mm Unbraided Flex Hose (FSC-25U) - 1/2 NPT								
12979FB/2512/1F	VK302	5.6 K	155°F	Polished Chrome	Unbraided (1/2" NPT)	E-1 recessed	V35.1	\$31.66
12979FB/2512/2F	VK302	5.6 K	155°F	Polished Chrome	Unbraided (1/2" NPT)	E-2 threaded	V35.1	\$31.66
12979FB/2512/3F	VK302	5.6 K	155°F	Polished Chrome	Unbraided (1/2" NPT)	F-1 adjustable	V35.1	\$34.46
12979MB/W/2512/1W	VK302	5.6 K	155°F	Painted White	Unbraided (1/2" NPT)	E-1 recessed	V35.1	\$31.66
12979MB/W/2512/2W	VK302	5.6 K	155°F	Painted White	Unbraided (1/2" NPT)	E-2 threaded	V35.1	\$31.66
12979MB/W/2512/3W	VK302	5.6 K	155°F	Painted White	Unbraided (1/2" NPT)	F-1 adjustable	V35.1	\$34.46
VK302, 5.6 K factor, QR, Pendent and 28mm Braided Flex Hose (FSC-28B) - 1/2 NPT								
12979FB/2812/1F	VK302	5.6 K	155°F	Polished Chrome	Braided (1/2" NPT)	E-1 recessed	V35.1	\$31.67
12979FB/2812/2F	VK302	5.6 K	155°F	Polished Chrome	Braided (1/2" NPT)	E-2 threaded	V35.1	\$31.67
12979FB/2812/3F	VK302	5.6 K	155°F	Polished Chrome	Braided (1/2" NPT)	F-1 adjustable	V35.1	\$34.46
12979MB/W/2812/1W	VK302	5.6 K	155°F	Painted White	Braided (1/2" NPT)	E-1 recessed	V35.1	\$31.67
12979MB/W/2812/2W	VK302	5.6 K	155°F	Painted White	Braided (1/2" NPT)	E-2 threaded	V35.1	\$31.67
12979MB/W/2812/3W	VK302	5.6 K	155°F	Painted White	Braided (1/2" NPT)	F-1 adjustable	V35.1	\$34.46

(1) Additional sprinklers, temperatures, and finishes available upon request. Contact customer service for details.

Pre-Assembled FSC Flexible Sprinkler Connection Packages (with Sprinkler)

Viking offers certain sprinklers factory-installed onto the flexible connection's outlet reducer fitting. These kits, which are assembled in the USA, are 100% pressure tested and are pre-packed with 10 units per box. Assemblies with recessed sprinklers include matching escutcheon finish (type as specified). Cover plates must be ordered separately for assemblies with concealed sprinklers.



Part Number System - EXAMPLE					Escutcheon Codes			
07077MB/W/2834/3W	>>>	07077FB	/	2834	/	3W	type	finish
<u>complete part number</u>		part 1 sprinkler part #		part 2 hose size & outlet NPT		part 3 escutcheon type/finish	1= E1 push-on 2= E2 threaded 3= F1 adjustable	F= chrome W= white

Part Number	Spk	K fctr	Temp	Sprinkler Finish	Flex Hose Type	Escutcheon	IPG	List (ea)
VK352, 8.0 K factor, QR, Pendent and 25mm Unbraided Flex Hose (FSC-25U) - 3/4 NPT								
18258FB/2534/1F	VK352	8.0 K	155°F	Polished Chrome	Unbraided (3/4" NPT)	E-1 recessed	V35.1	\$43.41
18258FB/2534/2F	VK352	8.0 K	155°F	Polished Chrome	Unbraided (3/4" NPT)	E-2 threaded	V35.1	\$43.41
18258FB/2534/3F	VK352	8.0 K	155°F	Polished Chrome	Unbraided (3/4" NPT)	F-1 adjustable	V35.1	\$46.23
18258MB/W/2534/1W	VK352	8.0 K	155°F	Painted White	Unbraided (3/4" NPT)	E-1 recessed	V35.1	\$43.41
18258MB/W/2534/2W	VK352	8.0 K	155°F	Painted White	Unbraided (3/4" NPT)	E-2 threaded	V35.1	\$43.41
18258MB/W/2534/3W	VK352	8.0 K	155°F	Painted White	Unbraided (3/4" NPT)	F-1 adjustable	V35.1	\$46.23
VK352, 8.0 K factor, QR, Pendent and 28mm Braided Flex Hose (FSC-28B) - 3/4 NPT								
18258FB/2834/1F	VK352	8.0 K	155°F	Polished Chrome	Braided (3/4" NPT)	E-1 recessed	V35.1	\$43.41
18258FB/2834/2F	VK352	8.0 K	155°F	Polished Chrome	Braided (3/4" NPT)	E-2 threaded	V35.1	\$43.41
18258FB/2834/3F	VK352	8.0 K	155°F	Polished Chrome	Braided (3/4" NPT)	F-1 adjustable	V35.1	\$46.22
18258MB/W/2834/1W	VK352	8.0 K	155°F	Painted White	Braided (3/4" NPT)	E-1 recessed	V35.1	\$43.41
18258MB/W/2834/2W	VK352	8.0 K	155°F	Painted White	Braided (3/4" NPT)	E-2 threaded	V35.1	\$43.41
18258MB/W/2834/3W	VK352	8.0 K	155°F	Painted White	Braided (3/4" NPT)	F-1 adjustable	V35.1	\$46.22
VK602, 8.0 K factor, QREC, Pendent and 25mm Unbraided Flex Hose (FSC-25U) - 3/4 NPT								
18262FB/2534/1F	VK602	8.0 K	155°F	Polished Chrome	Unbraided (3/4" NPT)	E-1 recessed	V35.1	\$38.07
18262FB/2534/2F	VK602	8.0 K	155°F	Polished Chrome	Unbraided (3/4" NPT)	E-2 threaded	V35.1	\$38.07
18262FB/2534/3F	VK602	8.0 K	155°F	Polished Chrome	Unbraided (3/4" NPT)	F-1 adjustable	V35.1	\$40.86
18262MB/W/2534/1W	VK602	8.0 K	155°F	Painted White	Unbraided (3/4" NPT)	E-1 recessed	V35.1	\$38.07
18262MB/W/2534/2W	VK602	8.0 K	155°F	Painted White	Unbraided (3/4" NPT)	E-2 threaded	V35.1	\$38.07
18262MB/W/2534/3W	VK602	8.0 K	155°F	Painted White	Unbraided (3/4" NPT)	F-1 adjustable	V35.1	\$40.86
VK602, 8.0 K factor, QREC, Pendent and 28mm Braided Flex Hose (FSC-28B) - 3/4 NPT								
18262FB/2834/1F	VK602	8.0 K	155°F	Polished Chrome	Braided (3/4" NPT)	E-1 recessed	V35.1	\$38.07
18262FB/2834/2F	VK602	8.0 K	155°F	Polished Chrome	Braided (3/4" NPT)	E-2 threaded	V35.1	\$38.07
18262FB/2834/3F	VK602	8.0 K	155°F	Polished Chrome	Braided (3/4" NPT)	F-1 adjustable	V35.1	\$40.86
18262MB/W/2834/1W	VK602	8.0 K	155°F	Painted White	Braided (3/4" NPT)	E-1 recessed	V35.1	\$38.07
18262MB/W/2834/2W	VK602	8.0 K	155°F	Painted White	Braided (3/4" NPT)	E-2 threaded	V35.1	\$38.07
18262MB/W/2834/3W	VK602	8.0 K	155°F	Painted White	Braided (3/4" NPT)	F-1 adjustable	V35.1	\$40.86
VK608, 11.2 K factor, SR/QR EC, ELO, Pendent and 25mm Unbraided Flex Hose (FSC-25U) - 3/4 NPT								
08339FB/2534/1F	VK608	11.2 K	155°F	Polished Chrome	Unbraided (3/4" NPT)	E-1 recessed	V35.1	\$59.07
08339FB/2534/2F	VK608	11.2 K	155°F	Polished Chrome	Unbraided (3/4" NPT)	E-2 threaded	V35.1	\$59.07
08339FB/2534/3F	VK608	11.2 K	155°F	Polished Chrome	Unbraided (3/4" NPT)	F-1 adjustable	V35.1	\$61.86
08339MB/W/2534/1W	VK608	11.2 K	155°F	Painted White	Unbraided (3/4" NPT)	E-1 recessed	V35.1	\$59.07
08339MB/W/2534/2W	VK608	11.2 K	155°F	Painted White	Unbraided (3/4" NPT)	E-2 threaded	V35.1	\$59.07
08339MB/W/2534/3W	VK608	11.2 K	155°F	Painted White	Unbraided (3/4" NPT)	F-1 adjustable	V35.1	\$61.86
VK608, 11.2 K factor, SR/QR EC, ELO, Pendent and 28mm Braided Flex Hose (FSC-28B) - 3/4 NPT								
08339FB/2834/1F	VK608	11.2 K	155°F	Polished Chrome	Braided (3/4" NPT)	E-1 recessed	V35.1	\$59.07
08339FB/2834/2F	VK608	11.2 K	155°F	Polished Chrome	Braided (3/4" NPT)	E-2 threaded	V35.1	\$59.07
08339FB/2834/3F	VK608	11.2 K	155°F	Polished Chrome	Braided (3/4" NPT)	F-1 adjustable	V35.1	\$61.87
08339MB/W/2834/1W	VK608	11.2 K	155°F	Painted White	Braided (3/4" NPT)	E-1 recessed	V35.1	\$59.07
08339MB/W/2834/2W	VK608	11.2 K	155°F	Painted White	Braided (3/4" NPT)	E-2 threaded	V35.1	\$59.07
08339MB/W/2834/3W	VK608	11.2 K	155°F	Painted White	Braided (3/4" NPT)	F-1 adjustable	V35.1	\$61.87

(1) Additional sprinklers, temperatures, and finishes available upon request. Contact customer service for details.

Pre-Assembled FSC Flexible Sprinkler Connection Packages (with Sprinkler)

Viking offers certain sprinklers factory-installed onto the flex connection's outlet reducer fitting. These kits, which are assembled in the USA, are 100% pressure tested and are pre-packed with 10 units per box. Assemblies with recessed sprinklers include matching escutcheon finish (type as specified). Cover plates must be ordered separately for assemblies with concealed sprinklers.



Part Number System - EXAMPLE					Escutcheon Codes			
13722FB/2834/2F	>>>	13722FB	/	2834	/	2F	type	finish
<u>complete part number</u>		part 1 sprinkler part #		part 2 hose size & outlet NPT		part 3 escutcheon type/finish	1= E1 push-on 2= E2 threaded 3= F1 adjustable	F= chrome W= white

Part Number | Spk | K fctr | Temp | Sprinkler Finish | Flex Hose Type | Escutcheon | IPG | List (ea)
VK534, 11.2 K factor, SR/QR, EC, ELO, Pendent and 25mm Unbraided Flex Hose (FSC-25U) - 3/4 NPT

08340FB/2534/1F	VK534	11.2 K	155°F	Polished Chrome	Unbraided (3/4" NPT)	E-1 recessed	V35.1	\$49.05
08340FB/2534/2F	VK534	11.2 K	155°F	Polished Chrome	Unbraided (3/4" NPT)	E-2 threaded	V35.1	\$49.05
08340FB/2534/3F	VK534	11.2 K	155°F	Polished Chrome	Unbraided (3/4" NPT)	F-1 adjustable	V35.1	\$51.84
08340MB/W/2534/1W	VK534	11.2 K	155°F	Painted White	Unbraided (3/4" NPT)	E-1 recessed	V35.1	\$49.05
08340MB/W/2534/2W	VK534	11.2 K	155°F	Painted White	Unbraided (3/4" NPT)	E-2 threaded	V35.1	\$49.05
08340MB/W/2534/3W	VK534	11.2 K	155°F	Painted White	Unbraided (3/4" NPT)	F-1 adjustable	V35.1	\$51.84

VK534, 11.2 K factor, SR/QR, EC, ELO, Pendent and 28mm Braided Flex Hose (FSC-28B) - 3/4 NPT

08340FB/2834/1F	VK534	11.2 K	155°F	Polished Chrome	Braided (3/4" NPT)	E-1 recessed	V35.1	\$49.05
08340FB/2834/2F	VK534	11.2 K	155°F	Polished Chrome	Braided (3/4" NPT)	E-2 threaded	V35.1	\$49.05
08340FB/2834/3F	VK534	11.2 K	155°F	Polished Chrome	Braided (3/4" NPT)	F-1 adjustable	V35.1	\$51.85
08340MB/W/2834/1W	VK534	11.2 K	155°F	Painted White	Braided (3/4" NPT)	E-1 recessed	V35.1	\$49.05
08340MB/W/2834/2W	VK534	11.2 K	155°F	Painted White	Braided (3/4" NPT)	E-2 threaded	V35.1	\$49.05
08340MB/W/2834/3W	VK534	11.2 K	155°F	Painted White	Braided (3/4" NPT)	F-1 adjustable	V35.1	\$51.85

VK572, 14.0 K factor, SR/QR, EC, ELO, Pendent and 25mm Unbraided Flex Hose (FSC-25U) - 3/4 NPT

13722FB/2534/1F	VK572	14.0 K	155°F	Polished Chrome	Unbraided (3/4" NPT)	E-1 recessed	V35.1	\$55.52
13722FB/2534/2F	VK572	14.0 K	155°F	Polished Chrome	Unbraided (3/4" NPT)	E-2 threaded	V35.1	\$55.52
13722FB/2534/3F	VK572	14.0 K	155°F	Polished Chrome	Unbraided (3/4" NPT)	F-1 adjustable	V35.1	\$58.32
13722MB/W/2534/1W	VK572	14.0 K	155°F	Painted White	Unbraided (3/4" NPT)	E-1 recessed	V35.1	\$55.52
13722MB/W/2534/2W	VK572	14.0 K	155°F	Painted White	Unbraided (3/4" NPT)	E-2 threaded	V35.1	\$55.52
13722MB/W/2534/3W	VK572	14.0 K	155°F	Painted White	Unbraided (3/4" NPT)	F-1 adjustable	V35.1	\$58.32

VK572, 14.0 K factor, SR/QR, EC, ELO, Pendent and 28mm Braided Flex Hose (FSC-28B) - 3/4 NPT

13722FB/2834/1F	VK572	14.0 K	155°F	Polished Chrome	Braided (3/4" NPT)	E-1 recessed	V35.1	\$55.53
13722FB/2834/2F	VK572	14.0 K	155°F	Polished Chrome	Braided (3/4" NPT)	E-2 threaded	V35.1	\$55.53
13722FB/2834/3F	VK572	14.0 K	155°F	Polished Chrome	Braided (3/4" NPT)	F-1 adjustable	V35.1	\$58.32
13722MB/W/2834/1W	VK572	14.0 K	155°F	Painted White	Braided (3/4" NPT)	E-1 recessed	V35.1	\$55.53
13722MB/W/2834/2W	VK572	14.0 K	155°F	Painted White	Braided (3/4" NPT)	E-2 threaded	V35.1	\$55.53
13722MB/W/2834/3W	VK572	14.0 K	155°F	Painted White	Braided (3/4" NPT)	F-1 adjustable	V35.1	\$58.32

Part Number* | Spk | K fctr | Temp | Sprinkler Finish | Flex Hose Type | Cover Plate | IPG | List (ea)
VK461, 2.8 K factor, Mirage® Concealed Pendent Sprinkler (flat plate)

13831AB/2512	VK461	2.8 K	155°F	Standard Brass	Unbraided (1/2" NPT)	Order Separate	V35.1	\$55.20
13831AB/2812	VK461	2.8 K	155°F	Standard Brass	Braided (1/2" NPT)	Order Separate	V35.1	\$55.20

VK465, 4.2 K factor, Mirage® Concealed Pendent Sprinkler (flat plate)

14262AB/2512	VK465	4.2 K	155°F	Standard Brass	Unbraided (1/2" NPT)	Order Separate	V35.1	\$55.20
14262AB/2812	VK465	4.2 K	155°F	Standard Brass	Braided (1/2" NPT)	Order Separate	V35.1	\$55.20

VK462, 5.6 K factor, Mirage® Concealed Pendent Sprinkler (flat plate)

13503AB/2512	VK462	5.6 K	155°F	Standard Brass	Unbraided (1/2" NPT)	Order Separate	V35.1	\$40.74
13503AB/2812	VK462	5.6 K	155°F	Standard Brass	Braided (1/2" NPT)	Order Separate	V35.1	\$40.74

VK464, 8.0 K factor, Mirage® Concealed Pendent Sprinkler (flat plate)

13614AB/2534	VK464	8.0 K	155°F	Standard Brass	Unbraided (3/4" NPT)	Order Separate	V35.1	\$63.35
13614AB/2834	VK464	8.0 K	155°F	Standard Brass	Braided (3/4" NPT)	Order Separate	V35.1	\$63.35

VK634, 8.0 K factor, Mirage® EC Concealed Pendent Sprinkler (flat plate)

14535AB/2534	VK634	8.0 K	155°F	Standard Brass	Unbraided (3/4" NPT)	Order Separate	V35.1	\$52.52
--------------	-------	-------	-------	----------------	----------------------	----------------	-------	---------

* Does not include cover plate. Please order cover plates separately.

