

**TABLE OF CONTENTS**

Upright – Quick / Standard Response, 5.6 (81) K factor (VK184) ..... G-1

Standard Response Pendant – 5.6 (81) K factor (VK150, VK154, VK158) ..... G-2

Standard Response Horizontal Sidewall – 5.6 (81) K factor (VK152, VK156, VK162) ..... G-3

Standard Response Pendant – 8.0 (115) K factor (VK166, VK163, VK164) ..... G-4

Standard Response Horizontal Sidewall – 8.0 (115) K factor (VK2503, VK2523, VK2543) ..... G-5

Standard Response Vertical Sidewall – 5.6 (81) K factor (VK153, VK157, VK161) ..... G-6

Standard Response Pendant – Stainless Steel – 5.6 (81) K factor (VK168, VK169) ..... G-7

Standard Response Pendant – Domed Concealed – 5.6 (81) / 8.0 K factor (VK190, VK192) ..... G-8

Quick Response Pendant, 5.6 (81) K factor (VK172, VK176, VK180) ..... G-9

Quick Response Horizontal Sidewall – 5.6 (81) K factor (VK174, VK178, VK182) ..... G-10

Quick Response Pendant – 8.0 (115) K factor (VK173, VK177, VK181) ..... G-11

Quick Response Horizontal Sidewall – 8.0 (115) K factor (VK2753, VK2773, VK2793) ..... G-12

Quick Response Pendant – Fusible Link – 8.0 (115) K factor (VK282, VK286, VK290) ..... G-13

Quick Response Horizontal Sidewall – Fusible Link – 8.0 (115) K factor (VK2843, VK2883, VK2923) ..... G-14

Extended Coverage, Quick/Standard Response, Pendant / Sidewall – 5.6 (81) K factor (VK186/188) ..... G-15

Extended Coverage, Quick Response Pendant – Domed Concealed – 5.6 (81) K factor (VK194/196) ..... G-16

Recessed Flush, Quick Response Pendant – Fusible Link – 5.6 (81) K factor (VK482) ..... G-17

Standard Response ELO – 11.2 (161.3) K factor (VK544, VK546, VK545) ..... G-18


Quick Response ELO – 11.2 (161.3) K factor (VK547, VK549, VK548) ..... G-19

**Notes**

1. Viking’s “Dry Sprinkler Order Form” can be found by visiting <https://webtools.vikingcorp.com/dry/>.
2. Dry sprinklers are special ordered items and are not returnable. Any change made after order placement is subject to charges. Please check the information carefully before ordering.
3. List price for standard adjustable and recessed adjustable styles includes the escutcheon.
4. Replacement escutcheons and sprinkler guards are available on pages H-1 and H-5.
5. Residential Dry Sprinklers can be found on page F-9.
6. Refer to Viking technical data pages for complete product specifications, including maximum order lengths. You may print or download technical data by visiting [www.vikinggroupinc.com](http://www.vikinggroupinc.com).
7. List prices effective July 9, 2022. Supersedes February 2022 list price book.
8. All sales by Viking are subject to the Terms & Conditions found on the last page of this book.

**Dry Sprinkler Ordering Instructions**

To order dry sprinklers, start with the base part number for the desired product and then add the appropriate “finish”, “temperature”, and “length” suffixes. Please refer to the sprinkler’s technical data page for details on how to calculate the length dimension for each style of dry sprinkler (A or B dimension).



Finish Suffixes (f)	
Standard Brass	A
Polished Chrome	F
White Polyester	M_/W
Nickel PTFE (ENT)	JN
White w/ Chrome	
Escutcheon	MF_/W

Temperature Suffixes (t)	
155°F (68°C)	B
165°F (79°C)	C
175°F (79°C)	D
200°F (93°C)	E
205°F (93°C)	E
286°F (93°C)	G

**Quick / Standard Response**

5.6 (81) K Factor (1/2" orifice)

Standard Coverage

Upright / 1" NPT

Glass Bulb

To order, add finish, temperature  
and length suffix to base part number  
(length = B dimension, inches)

Ex: VK184, Brass, 155 °F, 14 1/2" long

Part Number: 08417UAB145

**VK184 (Quick Response)**

Plain Barrel


Base P/N: 08417U



order in 1/2" increments

Item Price Group: V187

VK184 - QR Upright	Length (L) - B Dimension	LIST PRICES and Available Finishes	
		Standard Brass (A_)	White (M_/W)
base p/n - 08417U(f)(t)(l)	4 1/2" - 7 1/2" (114 - 191mm)	\$359.66	\$347.28
	8 - 10 1/2" (203 - 267mm)	\$368.52	\$376.64
	11 - 13 1/2" (279 - 343mm)	\$381.86	\$389.98
	14 - 16 1/2" (356 - 419mm)	\$417.45	\$425.45
	17 - 19 1/2" (432 - 495mm)	\$439.59	\$447.72
	20 - 22 1/2" (508 - 572mm)	\$466.20	\$474.18
	23 - 25 1/2" (584 - 648mm)	\$506.25	\$514.22
	26 - 28 1/2" (660 - 724mm)	\$528.46	P.O.A
	29 - 31 1/2" (737 - 800mm)	\$555.11	P.O.A
	32 - 34 1/2" (813 - 876mm)	\$577.26	\$585.23
	35 - 37 1/2" (889 - 953mm)	\$599.50	\$607.47



\*contact customer service for lengths over standard

**Additional Ordering Information**

VK184

**Available Temp.**

**Ratings / Suffix**

155°F (68°C) = B

175°F (79°C) = D

200°F (93°C) = E

286°F (93°C) = G

**Standard Wrench**

**VK184**

07297W/B \$156.03

**Sprinkler Guard**

**for upright/pendent**

08954 \$42.78

**Dry Sprinkler Boot**

22087M/W \$64.44

**NOTE:** Dry sprinklers are special ordered items and are not returnable. Changes made after order placement are subject to additional charges. Please check the information carefully before ordering.

**Standard Response**  
5.6 (81) K Factor (1/2" orifice)  
Standard Coverage  
Pendent / 1" NPT  
Glass Bulb

To order, add finish, temperature  
and length suffix to base part number  
(length = A dimension, inches)  
Ex: VK154, White, 175 °F, 9 1/2" length  
Part Number: 07740UMD/W095

**VK150**  
Plain Barrel  
Base P/N: 07852U



order in 1/2" increments

**VK154**  
Standard Adjustable  
Base P/N: 07740U




order in 1/2" increments

**VK158**  
Recessed Adjustable  
Base P/N: 06530U



order in 1/4" increments

Item Price Group: V187 (ENT Finish: IPG V188)

VK150 - Plain Barrel	Length (L) - A Dimension
base p/n - 07852U(f)(t)(l)	
	
	3 - 6" (76 - 152mm)
	6 1/2 - 9" (165 - 229mm)
	9 1/2 - 12" (241 - 305mm)
	12 1/2 - 15" (318 - 381mm)
	15 1/2 - 18" (394 - 457mm)
	18 1/2 - 21" (470 - 533mm)
	21 1/2 - 24" (546 - 610mm)
	24 1/2 - 27" (622 - 686mm)
	27 1/2 - 30" (699 - 762mm)
	30 1/2 - 33" (775 - 838mm)
	33 1/2 - 36" (851 - 914mm)


\*contact customer service for lengths over standard

LIST PRICES and Available Finishes		
Standard Brass (A)	Polished Chrome (F)	ENT (JN) IPG V188
\$293.12	\$297.46	\$412.51
\$301.93	\$306.39	P.O.A
\$315.27	\$319.68	\$434.75
\$341.96	\$346.33	P.O.A
\$364.15	\$368.52	\$483.60
\$390.77	\$395.23	P.O.A
\$421.87	\$426.28	\$541.33
\$452.94	\$457.35	P.O.A
\$470.71	\$475.11	P.O.A
\$497.34	\$501.82	P.O.A
\$519.58	\$523.99	P.O.A

**Additional Ordering Information**  
VK150/154/158  
**Available Temp. Ratings / Suffix**  
155°F (68°C) = B  
175°F (79°C) = D  
200°F (93°C) = E  
286°F (93°C) = G \*  
\* N/A with VK158

**VK154 also available in white finish with chrome escutcheon at same price as white finish. Use suffix MF\_/W**

Item Price Group: V187 (ENT Finish: IPG V188)

VK154 - Standard Adj.	Length (L) - A Dimension
base p/n - 07740U(f)(t)(l)	
	
	1 1/2 - 6" (38 - 152mm)
	6 1/2 - 9" (165 - 229mm)
	9 1/2 - 12" (241 - 305mm)
	12 1/2 - 15" (318 - 381mm)
	15 1/2 - 18" (394 - 457mm)
	18 1/2 - 21" (470 - 533mm)
	21 1/2 - 24" (546 - 610mm)
	24 1/2 - 27" (622 - 686mm)
	27 1/2 - 30" (699 - 762mm)
	30 1/2 - 33" (775 - 838mm)
	33 1/2 - 36" (851 - 914mm)

\*contact customer service for lengths over standard


LIST PRICES and Available Finishes		
Polished Chrome (F)	White (M_/W)	ENT (JN) IPG V188
\$315.27	\$315.27	\$430.31
\$324.22	\$324.22	\$439.29
\$341.96	\$341.96	\$457.01
\$368.52	\$368.52	\$483.60
\$381.86	\$381.86	\$496.93
\$417.45	\$417.45	\$532.49
\$439.59	\$439.59	\$554.64
\$470.71	\$470.71	\$585.77
\$497.34	\$497.34	\$670.15
\$515.10	\$515.10	\$630.15
\$537.26	\$537.26	\$652.34

**Standard Wrench**  
VK150 and VK154  
07297W/B \$156.03

**Recessed wrench for VK158 model**  
07565W/B \$200.28

**Sprinkler Guard for upright/pendent**  
08954 \$42.78

Item Price Group: V187 (ENT Finish: IPG V188)

VK158 - Recessed Adj.	Length (L) - A Dimension
base p/n - 06530U(f)(t)(l)	
	
	3 1/4 - 6" (83 - 152mm)
	6 1/4 - 9" (159 - 229mm)
	9 1/4 - 12" (235 - 305mm)
	12 1/4 - 15" (311 - 381mm)
	15 1/4 - 18" (387 - 457mm)
	18 1/4 - 21" (464 - 533mm)
	21 1/4 - 24" (540 - 610mm)
	24 1/4 - 27" (616 - 686mm)
	27 1/4 - 30" (692 - 762mm)
	30 1/4 - 33" (768 - 838mm)
	33 1/4 - 36" (845 - 914mm)

LIST PRICES and Available Finishes		
Polished Chrome (F)	White (M_/W)	ENT (JN) IPG V188
\$315.27	\$324.22	\$439.29
\$328.65	\$337.47	\$452.50
\$346.33	\$355.27	\$470.32
\$373.06	\$381.86	\$496.93
\$395.23	\$404.08	\$519.13
\$417.45	\$426.28	\$541.33
\$452.94	\$461.83	\$576.88
\$475.11	\$484.05	\$599.11
\$506.25	\$515.10	\$630.13
\$519.58	\$528.46	\$643.50
\$555.11	\$563.88	\$678.94

**Dry Spk Replacement Escutcheons**  
Std. Adj. - Chrome  
07741F \$10.44  
Std. Adj. - White  
07741M/W \$10.44  
Rec. Adj. - Chrome  
05459AF \$7.58  
Rec. Adj. - White  
05459AM/W \$7.58

**Dry Sprinkler Boot**  
22087M/W \$64.44

**Standard Response**  
5.6 (81) K Factor (1/2" orifice)  
Standard Coverage  
Horizontal Sidewall / 1" NPT  
Glass Bulb

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)

Ex: VK156, White, 175 °F, 9 1/2" length  
Part Number: 07857UMD/W095

**VK152**  
Plain Barrel  
Base P/N: 07858U



order in 1/2" increments

**VK156**  
Standard Adjustable  
Base P/N: 07857U



order in 1/2" increments


**VK162**  
Recessed Adjustable  
Base P/N: 07856U



order in 1/4" increments

Item Price Group: V187 (ENT Finish: IPG V188)


VK152 - Plain Barrel	Length (L) - A Dimension	LIST PRICES and Available Finishes		
		Standard Brass (A_)	Polished Chrome (F_)	ENT (JN) IPG V188
base p/n - 07858U(f)(t)(l)				
	3 - 6" (76 - 152mm)	\$315.27	\$319.68	P.O.A
	6 1/2 - 9" (165 - 229mm)	\$319.68	\$324.22	\$439.27
	9 1/2 - 12" (241 - 305mm)	\$337.47	\$341.96	\$457.01
	12 1/2 - 15" (318 - 381mm)	\$368.52	\$373.06	\$488.12
	15 1/2 - 18" (394 - 457mm)	\$390.77	\$395.23	P.O.A
	18 1/2 - 21" (470 - 533mm)	\$413.01	\$417.45	P.O.A
	21 1/2 - 24" (546 - 610mm)	\$461.83	\$466.20	P.O.A
	24 1/2 - 27" (622 - 686mm)	\$484.05	\$488.48	P.O.A
	27 1/2 - 30" (699 - 762mm)	\$510.64	\$515.10	P.O.A
	30 1/2 - 33" (775 - 838mm)	\$519.58	\$523.99	P.O.A
	33 1/2 - 36" (851 - 914mm)	\$537.26	\$541.73	P.O.A



\*contact customer service for lengths over standard

Item Price Group: V187 (ENT Finish: IPG V188)


VK156 - Standard Adj.	Length (L) - A Dimension	LIST PRICES and Available Finishes		
		Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
base p/n - 07857U(f)(t)(l)				
	1 1/2 - 6" (38 - 152mm)	\$324.22	\$324.22	\$439.29
	6 1/2 - 9" (165 - 229mm)	\$341.96	\$341.96	\$457.01
	9 1/2 - 12" (241 - 305mm)	\$355.27	\$355.27	\$470.32
	12 1/2 - 15" (318 - 381mm)	\$395.23	\$395.23	\$510.28
	15 1/2 - 18" (394 - 457mm)	\$413.01	\$413.01	\$528.05
	18 1/2 - 21" (470 - 533mm)	\$435.19	\$435.19	\$550.26
	21 1/2 - 24" (546 - 610mm)	\$484.05	\$484.05	\$599.11
	24 1/2 - 27" (622 - 686mm)	\$506.25	\$506.27	\$621.32
	27 1/2 - 30" (699 - 762mm)	\$528.46	\$528.46	P.O.A
	30 1/2 - 33" (775 - 838mm)	\$537.26	\$537.27	P.O.A
	33 1/2 - 36" (851 - 914mm)	\$563.88	\$563.88	P.O.A



\*contact customer service for lengths over standard

Item Price Group: V187 (ENT Finish: IPG V188)

VK162 - Recessed Adj.	Length (L) - A Dimension	LIST PRICES and Available Finishes		
		Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
base p/n - 07856U(f)(t)(l)				
	3 1/4 - 6" (83 - 152mm)	\$337.47	\$346.33	\$461.38
	6 1/4 - 9" (159 - 229mm)	\$350.80	\$359.66	\$474.72
	9 1/4 - 12" (235 - 305mm)	\$359.66	\$368.52	\$483.62
	12 1/4 - 15" (311 - 381mm)	\$399.67	\$408.56	\$523.62
	15 1/4 - 18" (387 - 457mm)	\$417.45	\$426.28	\$541.35
	18 1/4 - 21" (464 - 533mm)	\$444.06	\$452.94	P.O.A
	21 1/4 - 24" (540 - 610mm)	\$492.86	\$501.82	P.O.A
	24 1/4 - 27" (616 - 686mm)	\$515.10	\$523.99	P.O.A
	27 1/4 - 30" (692 - 762mm)	\$532.83	\$541.73	P.O.A
	30 1/4 - 33" (768 - 838mm)	\$563.88	\$572.86	P.O.A
	33 1/4 - 36" (845 - 914mm)	\$581.73	\$590.60	P.O.A



**Additional Ordering Information**  
VK152/156/162

**Available Temp. Ratings / Suffix**

- 155°F (68°C) = B
  - 175°F (79°C) = D
  - 200°F (93°C) = E
  - 286°F (93°C) = G \*
- \* N/A with VK162

**VK156 also available in white finish with chrome escutcheon at same price as white finish. Use suffix MF\_/W**

**Standard Wrench**  
VK152 and VK156  
07297W/B \$156.03

**Recessed Wrench for VK162 Model**  
07565W/B \$200.28

**Dry Spk Replacement Escutcheons**  
Std. Adj. - Chrome 08086F \$10.44  
Std. Adj. - White 08086M/W \$10.44

Rec. Adj. - Chrome 05459AF \$7.58  
Rec. Adj. - White 05459AM/W \$7.58

**Dry Sprinkler Boot**  
22087M/W \$64.44

Electroless Nickel PTFE (ENT) finish is for corrosion resistance.

**Standard Response**

**8.0 (115) K Factor** (17/32" orifice)

**Standard Coverage**

**Pendent / 1" NPT**

**Glass Bulb**

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)

Ex: **VK164, white, 200 °F, 12" length**

**Part Number: 12811UME/W12**

**VK166**  
**Plain Barrel**  
Base P/N: **12741U**



order in 1/2" increments

**VK163**  
**Standard Adjustable**  
Base P/N: **12810U**



order in 1/2" increments


**VK164**  
**Recessed Adjustable**  
Base P/N: **12811U**



order in 1/4" increments

Item Price Group: V187 (ENT Finish: IPG V188)

VK166 - Plain Barrel	Length (L) - A Dimension
base p/n - 12741U(f)(t)(l)	3 - 6" (76 - 152mm)
	6½ - 9" (165 - 229mm)
	9½ - 12" (241 - 305mm)
	12½ - 15" (318 - 381mm)
	15½ - 18" (394 - 457mm)
	18½ - 21" (470 - 533mm)
	21½ - 24" (546 - 610mm)
	24½ - 27" (622 - 686mm)
	27½ - 30" (699 - 762mm)
	30½ - 33" (775 - 838mm)
	33½ - 36" (851 - 914mm)



\*contact customer service for lengths over standard

LIST PRICES and Available Finishes		
Standard Brass (A_)	Polished Chrome (F_)	ENT (JN)
IPG V188		
\$328.65	\$331.76	P.O.A
\$317.74	\$349.41	P.O.A
\$355.27	\$358.36	\$473.42
\$390.76	\$393.89	P.O.A
\$417.44	\$420.53	\$535.59
\$435.19	\$438.28	P.O.A
\$479.54	\$482.64	P.O.A
\$506.27	\$509.36	\$624.40
\$528.46	\$531.59	P.O.A
\$546.10	\$549.27	P.O.A
\$572.86	P.O.A	P.O.A

**Additional Ordering Information**  
VK166/163/164  
**Available Temp. Ratings / Suffix**  
155°F (68°C) = B  
175°F (79°C) = D  
200°F (93°C) = E  
286°F (93°C) = G \*  
\* N/A with VK164

**VK163 also available in white finish with chrome escutcheon at same price as white finish. Use suffix MF\_/W**


**Standard Wrench VK166 and VK163**  
07297W/B \$156.03

**Recessed Wrench for VK164 Model**  
07565W/B \$200.28

**Sprinkler Guard for Upright/Pendent**  
08954 \$42.78

Item Price Group: V187 (ENT Finish: IPG V188)

VK163 - Standard Adj.	Length (L) - A Dimension
base p/n - 12810U(f)(t)(l)	1½ - 6" (38 - 152mm)
	6½ - 9" (165 - 229mm)
	9½ - 12" (241 - 305mm)
	12½ - 15" (318 - 381mm)
	15½ - 18" (394 - 457mm)
	18½ - 21" (470 - 533mm)
	21½ - 24" (546 - 610mm)
	24½ - 27" (622 - 686mm)
	27½ - 30" (699 - 762mm)
	30½ - 33" (775 - 838mm)
	33½ - 36" (851 - 914mm)




\*contact customer service for lengths over standard

LIST PRICES and Available Finishes		
Polished Chrome (F_)	White (M_/W)	ENT (JN)
IPG V188		
\$346.35	\$346.35	P.O.A
\$355.27	\$355.27	P.O.A
\$364.15	\$364.15	\$479.22
\$395.23	\$395.23	\$519.14
\$408.56	\$408.56	\$523.62
\$439.59	\$439.59	\$559.11
\$466.20	\$466.20	\$594.59
\$497.34	\$497.34	\$630.16
\$519.58	\$519.58	\$639.04
\$532.83	\$532.83	P.O.A
\$563.88	\$563.88	\$701.21

Item Price Group: V187 (ENT Finish: IPG V188)

VK164 - Recessed Adj.	Length (L) - A Dimension
base p/n - 12811U(f)(t)(l)	3¾ - 6" (83 - 152mm)
	6¾ - 9" (159 - 229mm)
	9¾ - 12" (235 - 305mm)
	12¾ - 15" (311 - 381mm)
	15¾ - 18" (387 - 457mm)
	18¾ - 21" (464 - 533mm)
	21¾ - 24" (540 - 610mm)
	24¾ - 27" (616 - 686mm)
	27¾ - 30" (692 - 762mm)
	30¾ - 33" (768 - 838mm)
	33¾ - 36" (845 - 914mm)



LIST PRICES and Available Finishes		
Polished Chrome (F_)	White (M_/W)	ENT (JN)
IPG V188		
\$346.35	\$355.27	P.O.A
\$355.27	\$364.15	P.O.A
\$364.15	\$373.06	\$488.11
\$395.23	\$404.08	P.O.A
\$417.44	\$426.28	\$541.35
\$444.06	\$452.94	P.O.A
\$470.71	\$479.54	\$594.60
\$506.27	\$515.10	P.O.A
\$523.99	\$523.99	P.O.A
\$541.73	\$550.61	P.O.A
\$577.26	\$586.16	\$701.21

**Dry Spk Replacement Escutcheons**  
Std. Adj. - Chrome  
07741F \$10.44  
Std. Adj. - White  
07741M/W \$10.44  
Rec. Adj. - Chrome  
05459AF \$7.58  
Rec. Adj. - White  
05459AM/W \$7.58

**Dry Sprinkler Boot**  
22087M/W \$64.44

**Standard Response**

**8.0 (115) K Factor** (17/32" orifice)

**Standard Coverage**

**Horizontal Sidewall / 1" NPT  
Glass Bulb**

To order, add finish, temperature  
and length suffix to base part number  
(length = A dimension, inches)

Ex: **VK2543, chrome, 175°F, 17 1/4" long**  
Part Number: **21481UFD1725**




**NEW! Now cULus Listed with 12" deflector distance down from ceiling**

**order in 1/2" increments**      **order in 1/2" increments**      **order in 1/4" increments**

Item Price Group: V187 (ENT Finish: IPG V188)

**VK2503 - Plain Barrel**  
base p/n - 21493U(f)(t)(l)




<b>LIST PRICES and Available Finishes</b>			
Length (L) - A Dimension	Standard Brass (A_)	Polished Chrome (F_)	ENT (JN)
	IPG V188		
3 - 6" (76 - 152mm)	\$394.40	P.O.A	P.O.A
6 1/2 - 9" (165 - 229mm)	\$415.62	\$419.32	P.O.A
9 1/2 - 12" (241 - 305mm)	\$426.28	\$430.03	P.O.A
12 1/2 - 15" (318 - 381mm)	P.O.A	P.O.A	P.O.A
15 1/2 - 18" (394 - 457mm)	\$500.94	\$500.95	P.O.A
18 1/2 - 21" (470 - 533mm)	P.O.A	P.O.A	P.O.A
21 1/2 - 24" (546 - 610mm)	\$575.49	\$579.16	P.O.A
24 1/2 - 27" (622 - 686mm)	P.O.A	P.O.A	P.O.A
27 1/2 - 30" (699 - 762mm)	P.O.A	P.O.A	P.O.A
30 1/2 - 33" (775 - 838mm)	P.O.A	P.O.A	P.O.A
33 1/2 - 36" (851 - 914mm)	P.O.A	P.O.A	P.O.A

\*contact customer service for lengths over standard

Item Price Group: V187 (ENT Finish: IPG V188)

**VK2523 - Standard Adj.**  
base p/n - 21487U(f)(t)(l)




<b>LIST PRICES and Available Finishes</b>			
Length (L) - A Dimension	Polished Chrome (F_)	White (M_/W)	ENT (JN)
	IPG V188		
1 1/2 - 6" (38 - 152mm)	\$415.62	P.O.A	P.O.A
6 1/2 - 9" (165 - 229mm)	\$426.28	P.O.A	P.O.A
9 1/2 - 12" (241 - 305mm)	\$437.01	\$437.01	P.O.A
12 1/2 - 15" (318 - 381mm)	P.O.A	\$474.29	P.O.A
15 1/2 - 18" (394 - 457mm)	\$490.29	\$490.29	P.O.A
18 1/2 - 21" (470 - 533mm)	\$527.53	\$527.53	P.O.A
21 1/2 - 24" (546 - 610mm)	\$559.48	\$559.48	\$674.51
24 1/2 - 27" (622 - 686mm)	P.O.A	P.O.A	P.O.A
27 1/2 - 30" (699 - 762mm)	P.O.A	P.O.A	\$738.52
30 1/2 - 33" (775 - 838mm)	P.O.A	P.O.A	P.O.A
33 1/2 - 36" (851 - 914mm)	P.O.A	P.O.A	P.O.A

\*contact customer service for lengths over standard

Item Price Group: V187 (ENT Finish: IPG V188)

**VK2543 - Recessed Adj.**  
base p/n - 21481U(f)(t)(l)



<b>LIST PRICES and Available Finishes</b>			
Length (L) - A Dimension	Polished Chrome (F_)	White (M_/W)	ENT (JN)
	IPG V188		
3 1/4 - 6" (83 - 152mm)	P.O.A	P.O.A	P.O.A
6 1/4 - 9" (159 - 229mm)	P.O.A	P.O.A	P.O.A
9 1/4 - 12" (235 - 305mm)	\$437.02	P.O.A	P.O.A
12 1/4 - 15" (311 - 381mm)	P.O.A	P.O.A	P.O.A
15 1/4 - 18" (387 - 457mm)	P.O.A	P.O.A	P.O.A
18 1/4 - 21" (464 - 533mm)	P.O.A	P.O.A	P.O.A
21 1/4 - 24" (540 - 610mm)	P.O.A	P.O.A	P.O.A
24 1/4 - 27" (616 - 686mm)	P.O.A	P.O.A	P.O.A
27 1/4 - 30" (692 - 762mm)	P.O.A	P.O.A	P.O.A
30 1/4 - 33" (768 - 838mm)	P.O.A	P.O.A	P.O.A
33 1/4 - 36" (845 - 914mm)	P.O.A	P.O.A	P.O.A

**Additional Ordering Information**  
**VK2503/2523/2543**

**Available Temp. Ratings / Suffix**  
155°F (68°C) = B  
175°F (79°C) = D  
200°F (93°C) = E  
286°F (93°C) = G \*  
\* N/A with VK254

**VK2523 also available in white finish with chrome escutcheon at same price as white finish. Use suffix MF\_/W**

**Standard Wrench**  
**VK2503 and VK2523**  
07297W/B \$156.03

**Recessed Wrench for VK2543 Model**  
07565W/B \$200.28

**Dry Spk Replacement Escutcheons**  
Std. Adj. - Chrome  
08086F \$10.44

Std. Adj. - White  
08086M/W \$10.44

Rec. Adj. - Chrome  
05459AF \$7.58

Rec. Adj. - White  
05459AM/W \$7.58

**Dry Sprinkler Boot**  
22087M/W \$64.44

Electroless Nickel PTFE (ENT) coating is for corrosion resistance.

**Standard Response**  
5.6 (81) K Factor (1/2" orifice)  
**Standard Coverage**  
**Vertical Sidewall\* / 1" NPT**  
**Glass Bulb**

**VK153**  
**Plain Barrel**  
Base P/N: **09125U**

order in 1/2" increments

**VK157**  
**Standard Adjustable**  
Base P/N: **09123U**

order in 1/2" increments


**VK161**  
**Recessed Adjustable**  
Base P/N: **09124U**

order in 1/4" increments

**NOTE - Sprinklers are NOT Listed or Approved**  
To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)  
**Ex: VK161, white, 155 °F, 5 3/4" length**  
**Part Number: 09124UMB/W0575**

Item Price Group: V187

VK153 - Plain Barrel	Length (L) - A Dimension
base p/n - 09125U(f)(t)(l)	4 1/2 - 7 1/2" (114 - 191mm)
	8 - 10 1/2" (203 - 267mm)
	11 - 13 1/2" (279 - 343mm)
	14 - 16 1/2" (356 - 419mm)
	17 - 19 1/2" (432 - 495mm)
	20 - 22 1/2" (508 - 572mm)
	23 - 25 1/2" (584 - 648mm)
	26 - 28 1/2" (660 - 724mm)
	29 - 31 1/2" (737 - 800mm)
	32 - 34 1/2" (813 - 876mm)
	35 - 37 1/2" (889 - 953mm)




LIST PRICES and Available Finishes	
Standard Brass (A _)	Polished Chrome (F _)
\$359.91	\$364.72
\$364.72	\$369.60
\$379.38	\$384.22
\$418.27	\$423.13
\$437.73	\$442.54
\$462.08	\$466.89
\$515.45	\$520.41
\$544.71	\$549.55
\$569.02	\$573.91
\$578.82	\$583.58
\$598.19	\$603.13

\*contact customer service for lengths over standard

Item Price Group: V187

VK157 - Standard Adj.	Length (L) - A Dimension
base p/n - 09123U(f)(t)(l)	3 - 6" (76 - 152mm)
	6 1/2 - 9" (165 - 229mm)
	9 1/2 - 12" (241 - 305mm)
	12 1/2 - 15" (318 - 381mm)
	15 1/2 - 18" (394 - 457mm)
	18 1/2 - 21" (470 - 533mm)
	21 1/2 - 24" (546 - 610mm)
	24 1/2 - 27" (622 - 686mm)
	27 1/2 - 30" (699 - 762mm)
	30 1/2 - 33" (775 - 838mm)
	33 1/2 - 36" (851 - 914mm)




LIST PRICES and Available Finishes	
Polished Chrome (F _)	White (M _/W)
\$369.59	\$369.60
\$389.13	P.O.A
\$398.83	\$398.80
\$442.54	\$442.53
\$462.08	\$462.08
\$486.36	\$494.49
\$544.71	\$544.71
\$573.19	\$573.19
\$588.49	\$588.47
\$598.19	\$598.20
\$632.28	\$632.28

\*contact customer service for lengths over standard

Item Price Group: V187

VK161 - Recessed Adj.	Length (L) - A Dimension
base p/n - 09124U(f)(t)(l)	3 1/4 - 6" (83 - 152mm)
	6 1/4 - 9" (159 - 229mm)
	9 1/4 - 12" (235 - 305mm)
	12 1/4 - 15" (311 - 381mm)
	15 1/4 - 18" (387 - 457mm)
	18 1/4 - 21" (464 - 533mm)
	21 1/4 - 24" (540 - 610mm)
	24 1/4 - 27" (616 - 686mm)
	27 1/4 - 30" (692 - 762mm)
	30 1/4 - 33" (768 - 838mm)
	33 1/4 - 36" (845 - 914mm)



LIST PRICES and Available Finishes	
Polished Chrome (F _)	White (M _/W)
\$379.38	\$389.13
\$393.94	\$403.68
\$403.68	\$413.42
\$447.48	\$457.20
\$466.89	\$476.34
\$500.94	\$510.62
\$549.58	\$559.29
\$573.91	\$583.25
\$593.04	\$602.72
\$627.43	\$636.74
\$651.69	\$661.06

**Additional Ordering Information**  
**VK153/157/161**  
**Available Temp. Ratings / Suffix**  
155°F (68°C) = B  
175°F (79°C) = D  
200°F (93°C) = E  
286°F (93°C) = G \*  
\* N/A with VK161

**Standard Wrench**  
**VK153 and VK157**  
07297W/B \$156.03

**Recessed Wrench for VK161 Model**  
07565W/B \$200.28

**Dry Spk Replacement Escutcheons**  
Std. Adj. - Chrome  
07741F \$10.44  
Rec. Adj. - Chrome  
05459AF \$7.58  
Rec. Adj. - White  
05459AM/W \$7.58

**Dry Sprinkler Boot**  
22087M/W \$64.44

**IMPORTANT NOTE:**  
Viking's Dry Vertical Sidewall Sprinklers are NOT Listed or Approved.

**Standard Response**

5.6 (81) K Factor (1/2" orifice)

**STAINLESS STEEL**

**Standard Coverage**

**Pendent / 1" NPT**

**Glass Bulb**

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)

Ex: VK169, stainless, 155 °F, 10" long

Part Number: 10360UB10

**VK168 (Stainless Steel)**

Plain Barrel

Base P/N: 09798U



order in 1/2" increments

**VK169 (Stainless Steel)**

Recessed Adjustable


Base P/N: 10360U



order in 1/4" increments

Item Price Group: V187


VK168 - Plain Barrel	Length (L) - A Dimension	LIST PRICES
		Stainless Steel
base p/n - 09798U(t)(l)	3 - 6" (76 - 152mm)	\$873.55
	6½ - 9" (165 - 229mm)	\$882.46
	9½ - 12" (241 - 305mm)	\$891.28
	12½ - 15" (318 - 381mm)	\$926.68
	15½ - 18" (394 - 457mm)	\$944.46
	18½ - 21" (470 - 533mm)	\$966.57
	21½ - 24" (546 - 610mm)	\$1,002.05
	24½ - 27" (622 - 686mm)	\$1,028.61
	27½ - 30" (699 - 762mm)	\$1,050.78
	30½ - 33" (775 - 838mm)	\$1,077.34
	33½ - 36" (851 - 914mm)	\$1,095.08



\*contact customer service for lengths over standard

Item Price Group: V187

VK169 - Recessed Adj.	Length (L) - A Dimension	LIST PRICES
		Stainless Steel
base p/n - 10360U(t)(l)	3¼ - 6" (83 - 152mm)	\$940.03
	6¼ - 9" (159 - 229mm)	\$948.87
	9¼ - 12" (235 - 305mm)	\$957.80
	12¼ - 15" (311 - 381mm)	\$993.13
	15¼ - 18" (387 - 457mm)	\$1,010.87
	18¼ - 21" (464 - 533mm)	\$1,033.02
	21¼ - 24" (540 - 610mm)	\$1,068.46
	24¼ - 27" (616 - 686mm)	\$1,095.08
	27¼ - 30" (692 - 762mm)	\$1,117.27
	30¼ - 33" (768 - 838mm)	\$1,143.78
	33¼ - 36" (845 - 914mm)	\$1,165.95



\*contact customer service for lengths over standard

**Additional Ordering Information**  
VK168 / VK169

**Available Temp.**

**Ratings / Suffix**

155°F (68°C) = B

175°F (79°C) = D

200°F (93°C) = E

286°F (93°C) = G

**Standard Wrench**

**VK168**

07297W/B \$156.03

**Recessed Wrench**

**for VK169 model**

07565W/B \$200.28

**Sprinkler Guard**

**for Upright/Pendent**

08954 \$42.78

**Dry Spk Replacement**

**Escutcheons**

Rec. Adj. - Chrome

05459AF \$7.58

Rec. Adj. - White

05459AM/W \$7.58

**Dry Sprinkler Boot**

22087M/W \$64.44

**IMPORTANT NOTE:**

Stainless Steel Dry Sprinklers NOT Listed or Approved.



**Standard Response**  
**5.6 (81) / 8.0 (115) K Factor**  
**Standard Coverage**  
**Pendent / 1" NPT**  
**Glass Bulb**

**VK190 - 5.6 K Factor**  
**DOMED CONCEALED**  
Base P/N: 12421UA



order in 1/4" increments

**VK192 - 8.0 K Factor**  
**DOMED CONCEALED**  
Base P/N: 12424UA




order in 1/4" increments

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)  
**Ex: VK190, 155°F, 10" long**  
**Part Number: 12421UAB10**

Item Price Group: V187

**VK190 - 5.6 K Factor**  
base p/n - 12421U(f)(t)(l)




Length (L) - A Dimension	LIST PRICES
	Standard Brass (A_)
4 - 6" (101 - 152mm)	\$365.14
6 1/4 - 9" (159 - 229mm)	\$381.69
9 1/4 - 12" (235 - 305mm)	\$401.60
12 1/4 - 15" (311 - 381mm)	\$434.84
15 1/4 - 18" (387 - 457mm)	\$464.70
18 1/4 - 21" (464 - 533mm)	\$487.94
21 1/4 - 24" (540 - 610mm)	\$534.45
24 1/4 - 27" (616 - 686mm)	\$564.31
27 1/4 - 30" (692 - 762mm)	\$600.83
30 1/4 - 33" (768 - 838mm)	\$617.42
33 1/4 - 36" (845 - 914mm)	\$663.90

\*contact customer service for lengths over standard

Item Price Group: V187

**VK192 - 8.0 K Factor**  
base p/n - 12424U(f)(t)(l)



Length (L) - A Dimension	LIST PRICES
	Standard Brass (A_)
4 - 6" (101 - 152mm)	\$401.60
6 1/4 - 9" (159 - 229mm)	\$414.92
9 1/4 - 12" (235 - 305mm)	\$434.84
12 1/4 - 15" (311 - 381mm)	\$464.72
15 1/4 - 18" (387 - 457mm)	\$487.94
18 1/4 - 21" (464 - 533mm)	\$521.15
21 1/4 - 24" (540 - 610mm)	\$554.36
24 1/4 - 27" (616 - 686mm)	\$600.76
27 1/4 - 30" (692 - 762mm)	\$624.05
30 1/4 - 33" (768 - 838mm)	\$647.29
33 1/4 - 36" (845 - 914mm)	\$690.43

\*contact customer service for lengths over standard

Domed Cover Plates (sold separately)				
Finish	Temp	Part #	IPG	List Price
Chrome	135°F	12381FA	V214	\$59.28
Chrome	165°F	12381FC	V214	\$59.28
Painted White	135°F	12381MA/W	V214	\$59.28
Painted White	165°F	12381MC/W	V214	\$59.28
Painted Ivory	135°F	12381MA/I	V214	\$75.32
Painted Ivory	165°F	12381MC/I	V214	\$75.32
Painted Black	135°F	12381MA/B	V214	\$75.32
Painted Black	165°F	12381MC/B	V214	\$75.32

Additional Ordering Information  
VK190 / VK192

Available Temp. Ratings / Suffix  
155°F (68°C) = B  
175°F (79°C) = D  
200°F (93°C) = E

Wrench - Domed Concealed  
07565W/B \$200.28

NOTE: Use 135°F/57°C cover plate with 155°F/68°C rated dry sprinklers. Use 165°F/74°C domed cover plate with 175°F/79°C and 200°F/93°C rated dry sprinklers.

**Quick Response**

5.6 (81) K Factor (1/2" orifice)

Standard Coverage

Pendent / 1" NPT

Glass Bulb

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)

Ex: VK176, white, 286 °F, 20" long

Part Number: 08383UMG/W20



order in 1/2" increments



order in 1/2" increments



order in 1/4" increments

Item Price Group: V187

VK172 - Plain Barrel	Length (L) - A Dimension	Standard Brass (A)	Polished Chrome (F)	ENT (JN)
base p/n - 08387U(f)(t)(l) 	3 - 6" (76 - 152mm)	\$319.68	\$324.22	\$439.25
	6 1/2 - 9" (165 - 229mm)	\$337.47	\$341.96	P.O.A
	9 1/2 - 12" (241 - 305mm)	\$346.33	\$350.80	\$465.86
	12 1/2 - 15" (318 - 381mm)	\$377.49	\$381.86	\$496.93
	15 1/2 - 18" (394 - 457mm)	\$399.67	\$404.08	\$519.11
	18 1/2 - 21" (470 - 533mm)	\$421.87	\$426.28	P.O.A
	21 1/2 - 24" (546 - 610mm)	\$461.83	\$466.20	P.O.A
	24 1/2 - 27" (622 - 686mm)	\$484.05	\$488.48	\$603.50
	27 1/2 - 30" (699 - 762mm)	\$510.64	\$515.10	\$630.12
	30 1/2 - 33" (775 - 838mm)	\$528.46	\$532.83	\$647.89
	33 1/2 - 36" (851 - 914mm)	\$555.11	\$559.46	P.O.A

\*contact customer service for lengths over standard

LIST PRICES and Available Finishes		
Standard Brass (A)	Polished Chrome (F)	ENT (JN)
		IPG V188

**Additional Ordering Information**  
VK172/176/180  
**Available Temp. Ratings / Suffix**  
155°F (68°C) = B  
175°F (79°C) = D  
200°F (93°C) = E  
286°F (93°C) = G \*  
\* N/A with VK180  
**Standard Wrench**  
VK172 and VK176  
07297W/B \$156.03

Item Price Group: V187

VK176 - Standard Adj.	Length (L) - A Dimension	Polished Chrome (F)	White (M/W)	ENT (JN)
base p/n - 08383U(f)(t)(l) 	1 1/2 - 6" (38 - 152mm)	\$355.27	\$355.27	\$470.32
	6 1/2 - 9" (165 - 229mm)	\$364.15	\$364.14	\$479.20
	9 1/2 - 12" (241 - 305mm)	\$373.06	\$373.06	\$488.12
	12 1/2 - 15" (318 - 381mm)	\$408.56	\$408.56	\$523.62
	15 1/2 - 18" (394 - 457mm)	\$417.45	\$417.45	\$532.49
	18 1/2 - 21" (470 - 533mm)	\$457.35	\$457.35	\$572.40
	21 1/2 - 24" (546 - 610mm)	\$475.11	\$475.11	\$590.17
	24 1/2 - 27" (622 - 686mm)	\$506.25	\$506.25	\$621.33
	27 1/2 - 30" (699 - 762mm)	\$528.46	\$528.49	\$643.53
	30 1/2 - 33" (775 - 838mm)	\$541.73	\$541.73	\$656.81
	33 1/2 - 36" (851 - 914mm)	\$577.26	\$577.25	\$692.33

\*contact customer service for lengths over standard

LIST PRICES and Available Finishes		
Polished Chrome (F)	White (M/W)	ENT (JN)
		IPG V188

**Recessed wrench for VK180 model**  
07565W/B \$200.28  
**Sprinkler Guard for Upright/Pendent**  
08954 \$42.78

Item Price Group: V187

VK180 - Recessed Adj.	Length (L) - A Dimension	Polished Chrome (F)	White (M/W)	ENT (JN)
base p/n - 08385U(f)(t)(l) 	3 1/4 - 6" (83 - 152mm)	\$355.27	\$364.15	\$479.22
	6 1/4 - 9" (159 - 229mm)	\$364.15	\$373.06	\$488.12
	9 1/4 - 12" (235 - 305mm)	\$373.06	\$381.86	\$496.91
	12 1/4 - 15" (311 - 381mm)	\$408.56	\$417.45	\$532.49
	15 1/4 - 18" (387 - 457mm)	\$426.28	\$435.19	\$550.26
	18 1/4 - 21" (464 - 533mm)	\$457.35	\$466.20	\$581.25
	21 1/4 - 24" (540 - 610mm)	\$488.48	\$497.34	\$612.41
	24 1/4 - 27" (616 - 686mm)	\$515.10	\$523.99	\$639.04
	27 1/4 - 30" (692 - 762mm)	\$528.46	\$537.26	\$652.34
	30 1/4 - 33" (768 - 838mm)	\$555.11	\$563.88	\$678.96
	33 1/4 - 36" (845 - 914mm)	\$590.60	\$599.50	\$714.53

LIST PRICES and Available Finishes		
Polished Chrome (F)	White (M/W)	ENT (JN)
		IPG V188

**Dry Spk Replacement Escutcheons**  
Std. Adj. - Chrome 07741F \$10.44  
Std. Adj. - White 07741M/W \$10.44  
Rec. Adj. - Chrome 05459AF \$7.58  
Rec. Adj. - White 05459AM/W \$7.58  
**Dry Sprinkler Boot**  
22087M/W \$64.44

**Quick Response**

5.6 (81) K Factor (1/2" orifice)

Standard Coverage

Horizontal Sidewall / 1" NPT

Glass Bulb

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)

Ex: VK174, brass, 155 °F, 11 1/2" long

Part Number: 08388UAB115



order in 1/2" increments


order in 1/2" increments

order in 1/4" increments

Item Price Group: V187 (ENT Finish: IPG V188)

**VK174 - Plain Barrel**  
base p/n - 08388U(f)(t)(l)

Length (L) - A Dimension	Standard Brass (A)	Polished Chrome (F)	ENT (JN) IPG V188
3 - 6" (76 - 152mm)	\$355.27	\$359.66	P.O.A
6 1/2 - 9" (165 - 229mm)	\$359.66	\$364.15	P.O.A
9 1/2 - 12" (241 - 305mm)	\$368.52	\$373.06	\$488.09
12 1/2 - 15" (318 - 381mm)	\$408.56	\$413.01	\$528.02
15 1/2 - 18" (394 - 457mm)	\$421.87	\$426.28	P.O.A
18 1/2 - 21" (470 - 533mm)	\$448.50	\$452.94	P.O.A
21 1/2 - 24" (546 - 610mm)	\$497.34	\$501.82	P.O.A
24 1/2 - 27" (622 - 686mm)	\$519.58	\$523.98	P.O.A
27 1/2 - 30" (699 - 762mm)	\$537.26	\$541.73	P.O.A
30 1/2 - 33" (775 - 838mm)	\$555.11	\$559.46	P.O.A
33 1/2 - 36" (851 - 914mm)	\$577.26	\$581.73	P.O.A



\*contact customer service for lengths over standard

**LIST PRICES and Available Finishes**

**Additional Ordering Information**  
VK174/178/182

**Available Temp. Ratings / Suffix**


- 155°F (68°C) = B
- 175°F (79°C) = D
- 200°F (93°C) = E
- 286°F (93°C) = G

VK178 also available in white finish with chrome escutcheon at same price as white finish. Use suffix MF\_/W

Item Price Group: V187 (ENT Finish: IPG V188)

**VK178 - Standard Adj.**  
base p/n - 08384U(f)(t)(l)

Length (L) - A Dimension	Polished Chrome (F)	White (M_/W)	ENT (JN) IPG V188
1 1/2 - 6" (38 - 152mm)	\$364.15	\$364.14	\$479.22
6 1/2 - 9" (165 - 229mm)	\$373.06	\$373.06	\$488.11
9 1/2 - 12" (241 - 305mm)	\$386.36	\$386.36	\$501.40
12 1/2 - 15" (318 - 381mm)	\$426.28	\$426.28	\$541.35
15 1/2 - 18" (394 - 457mm)	\$444.06	\$444.06	\$559.11
18 1/2 - 21" (470 - 533mm)	\$470.71	\$470.71	\$585.77
21 1/2 - 24" (546 - 610mm)	\$519.58	\$519.58	\$634.63
24 1/2 - 27" (622 - 686mm)	\$537.26	\$537.26	\$636.45
27 1/2 - 30" (699 - 762mm)	\$563.88	\$563.89	\$678.96
30 1/2 - 33" (775 - 838mm)	\$577.26	\$577.26	\$692.33
33 1/2 - 36" (851 - 914mm)	\$599.50	\$599.50	\$714.51



\*contact customer service for lengths over standard

**LIST PRICES and Available Finishes**

**Standard Wrench**  
VK174 and VK178  
07297W/B \$156.03

**Recessed Wrench for VK182 Model**  
07565W/B \$200.28

**Dry Spk Replacement Escutcheons**

Std. Adj. - Chrome  
08086F \$10.44

Std. Adj. - White  
08086M/W \$10.44

Rec. Adj. - Chrome  
05459AF \$7.58


Rec. Adj. - White  
05459AM/W \$7.58

**Dry Sprinkler Boot**  
22087M/W \$64.44

Item Price Group: V187 (ENT Finish: IPG V188)

**VK182 - Recessed Adj.**  
base p/n - 08386U(f)(t)(l)

Length (L) - A Dimension	Polished Chrome (F)	White (M_/W)	ENT (JN) IPG V188
3 1/4 - 6" (83 - 152mm)	\$373.06	\$381.86	\$496.91
6 1/4 - 9" (159 - 229mm)	\$386.36	\$395.23	\$496.91
9 1/4 - 12" (235 - 305mm)	\$395.23	\$404.08	\$519.13
12 1/4 - 15" (311 - 381mm)	\$430.78	\$439.59	\$554.63
15 1/4 - 18" (387 - 457mm)	\$457.35	\$466.20	\$581.25
18 1/4 - 21" (464 - 533mm)	\$475.11	\$484.05	\$599.08
21 1/4 - 24" (540 - 610mm)	\$523.99	\$532.83	\$647.92
24 1/4 - 27" (616 - 686mm)	\$546.10	\$555.11	\$670.15
27 1/4 - 30" (692 - 762mm)	\$572.86	\$581.73	\$696.74
30 1/4 - 33" (768 - 838mm)	\$595.08	\$603.93	P.O.A
33 1/4 - 36" (845 - 914mm)	\$612.79	\$621.72	\$736.75



**Quick Response**

**8.0 (115) K Factor** (17/32" orifice)

**Standard Coverage**

**Pendent / 1" NPT**

**Glass Bulb**

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)

Ex: VK177, chrome, 175 °F, 8" length

Part Number: 13249UFD08

**VK173**  
**Plain Barrel**  
Base P/N: 13248U

order in ½" increments

**VK177**  
**Standard Adjustable**  
Base P/N: 13249U

order in ½" increments

**VK181**  
**Recessed Adjustable**  
Base P/N: 13250U

order in ¼" increments

Item Price Group: V187 (ENT Finish: IPG V188)

VK173 - Plain Barrel	Length (L) - A Dimension
base p/n - 13248U(f)(t)(l)	3 - 6" (76 - 152mm)
	6½ - 9" (165 - 229mm)
	9½ - 12" (241 - 305mm)
	12½ - 15" (318 - 381mm)
	15½ - 18" (394 - 457mm)
	18½ - 21" (470 - 533mm)
	21½ - 24" (546 - 610mm)
	24½ - 27" (622 - 686mm)
	27½ - 30" (699 - 762mm)
	30½ - 33" (775 - 838mm)
	33½ - 36" (851 - 914mm)

\*contact customer service for lengths over standard

LIST PRICES and Available Finishes		
Standard Brass (A_)	Polished Chrome (F_)	ENT (JN) IPG V188
\$361.56	\$375.28	P.O.A
\$391.74	\$394.18	P.O.A
\$390.77	\$394.21	\$509.26
\$441.99	\$445.49	P.O.A
\$467.42	\$462.62	P.O.A
\$492.26	\$482.10	P.O.A
\$542.44	\$530.96	P.O.A
P.O.A	P.O.A	P.O.A
P.O.A	P.O.A	P.O.A
P.O.A	P.O.A	P.O.A
P.O.A	\$647.93	P.O.A

**Additional Ordering Information**  
VK173/177/181

**Available Temp. Ratings / Suffix**

155°F (68°C) = B  
175°F (79°C) = D  
200°F (93°C) = E  
286°F (93°C) = G \*

\* N/A with VK181

**Standard Wrench**  
**VK173 and VK177**  
07297W/B \$156.03

Item Price Group: V187 (ENT Finish: IPG V188)

VK177 - Standard Adj.	Length (L) - A Dimension
base p/n - 13249U(f)(t)(l)	1½ - 6" (38 - 152mm)
	6½ - 9" (165 - 229mm)
	9½ - 12" (241 - 305mm)
	12½ - 15" (318 - 381mm)
	15½ - 18" (394 - 457mm)
	18½ - 21" (470 - 533mm)
	21½ - 24" (546 - 610mm)
	24½ - 27" (622 - 686mm)
	27½ - 30" (699 - 762mm)
	30½ - 33" (775 - 838mm)
	33½ - 36" (851 - 914mm)

\*contact customer service for lengths over standard

LIST PRICES and Available Finishes		
Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
\$380.98	\$380.98	\$465.98
\$390.77	\$390.77	P.O.A
\$400.58	\$400.58	\$515.62
\$434.78	\$434.78	\$564.46
\$449.41	\$449.41	\$564.46
\$497.23	\$497.22	P.O.A
\$512.83	\$512.86	\$627.86
\$547.12	\$571.49	P.O.A
\$571.47	\$587.70	\$702.76
\$602.71	\$602.71	\$717.74
\$637.90	\$637.90	P.O.A

**Recessed Wrench**  
**for VK181 Model**  
07565W/B \$200.28

**Sprinkler Guard**  
**for Upright/Pendent**  
08954 \$42.78

Item Price Group: V187 (ENT Finish: IPG V188)

VK181 - Recessed Adj.	Length (L) - A Dimension
base p/n - 13250U(f)(t)(l)	3¼ - 6" (83 - 152mm)
	6¼ - 9" (159 - 229mm)
	9¼ - 12" (235 - 305mm)
	12¼ - 15" (311 - 381mm)
	15¼ - 18" (387 - 457mm)
	18¼ - 21" (464 - 533mm)
	21¼ - 24" (540 - 610mm)
	24¼ - 27" (616 - 686mm)
	27¼ - 30" (692 - 762mm)
	30¼ - 33" (768 - 838mm)
	33¼ - 36" (845 - 914mm)

LIST PRICES and Available Finishes		
Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
\$380.98	\$390.77	P.O.A
\$390.77	\$400.58	\$515.62
\$400.58	\$410.32	\$525.35
\$434.78	\$444.46	P.O.A
\$459.16	\$468.95	\$584.00
\$488.45	\$498.22	P.O.A
\$517.79	\$527.53	P.O.A
\$556.87	\$566.62	P.O.A
\$576.41	\$587.65	P.O.A
\$595.92	\$607.25	P.O.A
\$635.00	\$646.42	P.O.A

**Dry Spk Replacement Escutcheons**

Std. Adj. - Chrome  
07741F \$10.44

Std. Adj. - White  
07741M/W \$10.44

Rec. Adj. - Chrome  
05459AF \$7.58

Rec. Adj. - White  
05459AM/W \$7.58

**Dry Sprinkler Boot**  
22087M/W \$64.44

**Quick Response**  
**8.0 (115) K Factor** (17/32" orifice)  
**Standard Coverage**  
**Horizontal Sidewall / 1" NPT**  
**Glass Bulb**

**VK2753**  
**Plain Barrel**  
Base P/N: **21495U**

**VK2773**  
**Standard Adjustable**  
Base P/N: **21489U**

**VK2793**  
**Recessed Adjustable**  
Base P/N: **21483U**



To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)

**NEW! Now cULus Listed with 12" deflector distance down from ceiling**

Ex: **VK2793, white, 175 °F, 3" length**  
Part Number: **21483UMD/W03**

order in 1/2" increments


order in 1/2" increments

order in 1/4" increments

Item Price Group: V187 (ENT Finish: IPG V188)

**VK2753 - Plain Barrel**  
base p/n - 21495U(f)(t)(l)

Length (L) - A Dimension	LIST PRICES and Available Finishes		
	Standard Brass (A_)	Polished Chrome (F_)	ENT (JN) IPG V188
3 - 6" (76 - 152mm)	\$427.22	\$431.28	P.O.A
6½ - 9" (165 - 229mm)	P.O.A	P.O.A	P.O.A
9½ - 12" (241 - 305mm)	\$461.78	\$465.83	P.O.A
12½ - 15" (318 - 381mm)	P.O.A	P.O.A	P.O.A
15½ - 18" (394 - 457mm)	\$542.66	P.O.A	P.O.A
18½ - 21" (470 - 533mm)	P.O.A	P.O.A	P.O.A
21½ - 24" (546 - 610mm)	P.O.A	P.O.A	P.O.A
24½ - 27" (622 - 686mm)	P.O.A	P.O.A	P.O.A
27½ - 30" (699 - 762mm)	P.O.A	P.O.A	P.O.A
30½ - 33" (775 - 838mm)	P.O.A	P.O.A	P.O.A
33½ - 36" (851 - 914mm)	P.O.A	P.O.A	P.O.A




\*contact customer service for lengths over standard

Item Price Group: V187 (ENT Finish: IPG V188)

**VK2773 - Standard Adj.**  
base p/n - 21489U(f)(t)(l)

Length (L) - A Dimension	LIST PRICES and Available Finishes		
	Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
1½ - 6" (38 - 152mm)	\$450.22	\$450.22	P.O.A
6½ - 9" (165 - 229mm)	\$461.78	P.O.A	P.O.A
9½ - 12" (241 - 305mm)	\$473.42	\$473.40	P.O.A
12½ - 15" (318 - 381mm)	\$513.81	P.O.A	P.O.A
15½ - 18" (394 - 457mm)	\$531.13	\$531.13	P.O.A
18½ - 21" (470 - 533mm)	\$571.44	P.O.A	\$686.50
21½ - 24" (546 - 610mm)	\$606.10	P.O.A	P.O.A
24½ - 27" (622 - 686mm)	P.O.A	P.O.A	P.O.A
27½ - 30" (699 - 762mm)	\$675.42	P.O.A	P.O.A
30½ - 33" (775 - 838mm)	P.O.A	P.O.A	P.O.A
33½ - 36" (851 - 914mm)	P.O.A	\$733.12	P.O.A




\*contact customer service for lengths over standard

Item Price Group: V187 (ENT Finish: IPG V188)

**VK2793 - Recessed Adj.**  
base p/n - 21483U(f)(t)(l)

Length (L) - A Dimension	LIST PRICES and Available Finishes		
	Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
3¼ - 6" (83 - 152mm)	\$450.22	P.O.A	P.O.A
6¼ - 9" (159 - 229mm)	P.O.A	P.O.A	P.O.A
9¼ - 12" (235 - 305mm)	\$473.42	P.O.A	P.O.A
12¼ - 15" (311 - 381mm)	P.O.A	P.O.A	P.O.A
15¼ - 18" (387 - 457mm)	\$542.67	\$554.17	P.O.A
18¼ - 21" (464 - 533mm)	P.O.A	P.O.A	P.O.A
21¼ - 24" (540 - 610mm)	\$611.92	P.O.A	P.O.A
24¼ - 27" (616 - 686mm)	\$658.17	P.O.A	P.O.A
27¼ - 30" (692 - 762mm)	P.O.A	P.O.A	P.O.A
30¼ - 33" (768 - 838mm)	\$710.03	P.O.A	P.O.A
33¼ - 36" (845 - 914mm)	P.O.A	P.O.A	P.O.A



Additional Ordering Information  
VK2753/2773/2793

Available Temp. Ratings / Suffix

155°F (68°C) = B  
175°F (79°C) = D  
200°F (93°C) = E  
286°F (93°C) = G \*  
\* N/A with VK2793

**VK2773 also available in white finish with chrome escutcheon at same price as white finish. Use suffix MF\_/W**

**Standard Wrench**  
**VK2753 and VK2773**  
07297W/B \$156.03

**Recessed Wrench for VK2793 Model**  
07565W/B \$200.28

**Dry Spk Replacement Escutcheons**

Std. Adj. - Chrome  
08086F \$10.44

Std. Adj. - White  
08086M/W \$10.44

Rec. Adj. - Chrome  
05459AF \$7.58

Rec. Adj. - White  
05459AM/W \$7.58

**Dry Sprinkler Boot**  
22087M/W \$64.44

Electroless Nickel PTFE (ENT) coating is for corrosion resistance.

**Quick Response**

**8.0 (115) K Factor** (17/32" orifice)

**Standard Coverage**

**Pendent / 1" NPT**

**Fusible Link**

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)

Ex: VK290, chrome, 205 °F, 15 ¾" long

Part Number: 13256UFE1575

**VK282**  
**Plain Barrel**  
Base P/N: 13254U



order in ½" increments

**VK286**  
**Standard Adjustable**  
Base P/N: 13255U



order in ½" increments


**VK290**  
**Recessed Adjustable**  
Base P/N: 13256U



order in ¼" increments

Item Price Group: V187

VK282- Plain Barrel	Length (L) - A Dimension
base p/n - 13254U(f)(t)(l)	
	3 - 6" (76 - 152mm)
	6½ - 9" (165 - 229mm)
	9½ - 12" (241 - 305mm)
	12½ - 15" (318 - 381mm)
	15½ - 18" (394 - 457mm)
	18½ - 21" (470 - 533mm)
	21½ - 24" (546 - 610mm)
	24½ - 27" (622 - 686mm)
	27½ - 30" (699 - 762mm)
	30½ - 33" (775 - 838mm)
	33½ - 36" (851 - 914mm)




\*contact customer service for lengths over standard

**LIST PRICES and Available Finishes**

	Standard Brass (A_)	Polished Chrome (F_)
3 - 6" (76 - 152mm)	\$427.23	P.O.A
6½ - 9" (165 - 229mm)	\$450.22	\$454.25
9½ - 12" (241 - 305mm)	\$450.22	\$465.84
12½ - 15" (318 - 381mm)	\$508.00	\$512.03
15½ - 18" (394 - 457mm)	\$542.68	\$546.68
18½ - 21" (470 - 533mm)	\$565.74	\$569.77
21½ - 24" (546 - 610mm)	\$623.40	\$627.45
24½ - 27" (622 - 686mm)	\$658.14	P.O.A
27½ - 30" (699 - 762mm)	\$687.03	P.O.A
30½ - 33" (775 - 838mm)	\$709.99	\$714.05
33½ - 36" (851 - 914mm)	\$744.69	\$748.72

Item Price Group: V187

VK286 - Standard Adj.	Length (L) - A Dimension
base p/n - 13255U(f)(t)(l)	
	1½ - 6" (38 - 152mm)
	6½ - 9" (165 - 229mm)
	9½ - 12" (241 - 305mm)
	12½ - 15" (318 - 381mm)
	15½ - 18" (394 - 457mm)
	18½ - 21" (470 - 533mm)
	21½ - 24" (546 - 610mm)
	24½ - 27" (622 - 686mm)
	27½ - 30" (699 - 762mm)
	30½ - 33" (775 - 838mm)
	33½ - 36" (851 - 914mm)




\*contact customer service for lengths over standard

**LIST PRICES and Available Finishes**

	Polished Chrome (F_)	White (M_/W)
1½ - 6" (38 - 152mm)	\$450.22	\$450.22
6½ - 9" (165 - 229mm)	\$461.78	\$461.78
9½ - 12" (241 - 305mm)	\$473.42	\$473.39
12½ - 15" (318 - 381mm)	\$513.80	\$513.80
15½ - 18" (394 - 457mm)	\$531.13	\$531.13
18½ - 21" (470 - 533mm)	\$571.44	\$571.44
21½ - 24" (546 - 610mm)	\$606.09	\$606.09
24½ - 27" (622 - 686mm)	\$646.58	\$646.59
27½ - 30" (699 - 762mm)	\$675.42	\$675.45
30½ - 33" (775 - 838mm)	\$692.71	\$692.70
33½ - 36" (851 - 914mm)	\$733.11	\$733.11

Item Price Group: V187

VK290 - Recessed Adj.	Length (L) - A Dimension
base p/n - 13256U(f)(t)(l)	
	3¼ - 6" (83 - 152mm)
	6¼ - 9" (159 - 229mm)
	9¼ - 12" (235 - 305mm)
	12¼ - 15" (311 - 381mm)
	15¼ - 18" (387 - 457mm)
	18¼ - 21" (464 - 533mm)
	21¼ - 24" (540 - 610mm)
	24¼ - 27" (616 - 686mm)
	27¼ - 30" (692 - 762mm)
	30¼ - 33" (768 - 838mm)
	33¼ - 36" (845 - 914mm)



**LIST PRICES and Available Finishes**

	Polished Chrome (F_)	White (M_/W)
3¼ - 6" (83 - 152mm)	\$450.22	\$461.80
6¼ - 9" (159 - 229mm)	\$461.78	\$473.39
9¼ - 12" (235 - 305mm)	\$473.42	\$484.93
12¼ - 15" (311 - 381mm)	\$513.80	\$525.29
15¼ - 18" (387 - 457mm)	\$542.68	\$554.16
18¼ - 21" (464 - 533mm)	\$577.23	\$588.84
21¼ - 24" (540 - 610mm)	\$611.91	\$623.40
24¼ - 27" (616 - 686mm)	\$658.14	\$669.63
27¼ - 30" (692 - 762mm)	\$681.24	\$692.71
30¼ - 33" (768 - 838mm)	\$704.26	P.O.A
33¼ - 36" (845 - 914mm)	\$750.46	\$761.98

**Additional Ordering Information**

VK282/286/290

**Available Temp. Ratings / Suffix**

165°F (74°C) = C

205°F (96°C) = E

280°F (138°C) = G \*

\* N/A with VK290

**Standard Wrench**

VK282 and VK286

07297W/B \$156.03

**Recessed Wrench**

for VK290 Model

07565W/B \$200.28

**Sprinkler Guard**

for Upright/Pendent

08954 \$42.78

**Dry Spk Replacement Escutcheons**

Std. Adj. - Chrome

07741F \$10.44

Std. Adj. - White

07741M/W \$10.44

Rec. Adj. - Chrome

05459AF \$7.58

Rec. Adj. - White

05459AM/W \$7.58

**Dry Sprinkler Boot**

22087M/W \$64.44

**Quick Response**  
**8.0 (115) K Factor** (17/32" orifice)  
**Standard Coverage**  
**Horizontal Sidewall / 1" NPT**  
**Fusible Link**

**VK2843**  
**Plain Barrel**  
Base P/N: **21497U**

**VK2883**  
**Standard Adjustable**  
Base P/N: **21491U**

**VK2923**  
**Recessed Adjustable**  
Base P/N: **21485U**



To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)

**NEW! Now cULus Listed with 12" deflector distance down from ceiling**

Ex: **VK2843, brass, 165 °F, 33 ½" long**  
Part Number: **21497UAC335**

order in ½" increments


order in ½" increments

order in ¼" increments

Item Price Group: V187

**VK2843 - Plain Barrel**  
base p/n - 21497U(f)(t)(l)

Length (L) - A Dimension	LIST PRICES and Available Finishes	
	Standard Brass (A_)	Polished Chrome (F_)
3 - 6" (76 - 152mm)	\$427.25	P.O.A
6½ - 9" (165 - 229mm)	P.O.A	P.O.A
9½ - 12" (241 - 305mm)	\$461.81	P.O.A
12½ - 15" (318 - 381mm)	P.O.A	P.O.A
15½ - 18" (394 - 457mm)	\$542.67	\$546.69
18½ - 21" (470 - 533mm)	P.O.A	P.O.A
21½ - 24" (546 - 610mm)	P.O.A	P.O.A
24½ - 27" (622 - 686mm)	P.O.A	P.O.A
27½ - 30" (699 - 762mm)	P.O.A	P.O.A
30½ - 33" (775 - 838mm)	P.O.A	P.O.A
33½ - 36" (851 - 914mm)	P.O.A	P.O.A




\*contact customer service for lengths over standard

Item Price Group: V187

**VK2883 - Standard Adj.**  
base p/n - 21491U(f)(t)(l)

Length (L) - A Dimension	LIST PRICES and Available Finishes	
	Polished Chrome (F_)	White (M_/W)
1½ - 6" (38 - 152mm)	P.O.A	P.O.A
6½ - 9" (165 - 229mm)	\$461.78	P.O.A
9½ - 12" (241 - 305mm)	\$473.42	\$473.41
12½ - 15" (318 - 381mm)	\$513.81	P.O.A
15½ - 18" (394 - 457mm)	\$531.13	\$531.11
18½ - 21" (470 - 533mm)	P.O.A	P.O.A
21½ - 24" (546 - 610mm)	\$606.10	\$606.10
24½ - 27" (622 - 686mm)	P.O.A	P.O.A
27½ - 30" (699 - 762mm)	P.O.A	P.O.A
30½ - 33" (775 - 838mm)	P.O.A	P.O.A
33½ - 36" (851 - 914mm)	P.O.A	P.O.A




\*contact customer service for lengths over standard

Item Price Group: V187

**VK2923 - Recessed Adj.**  
base p/n - 21485U(f)(t)(l)

Length (L) - A Dimension	LIST PRICES and Available Finishes	
	Polished Chrome (F_)	White (M_/W)
3¾ - 6" (83 - 152mm)	P.O.A	P.O.A
6¾ - 9" (159 - 229mm)	P.O.A	P.O.A
9¾ - 12" (235 - 305mm)	\$473.42	P.O.A
12¾ - 15" (311 - 381mm)	\$513.81	P.O.A
15¾ - 18" (387 - 457mm)	P.O.A	P.O.A
18¾ - 21" (464 - 533mm)	P.O.A	P.O.A
21¾ - 24" (540 - 610mm)	P.O.A	P.O.A
24¾ - 27" (616 - 686mm)	P.O.A	P.O.A
27¾ - 30" (692 - 762mm)	P.O.A	P.O.A
30¾ - 33" (768 - 838mm)	P.O.A	P.O.A
33¾ - 36" (845 - 914mm)	P.O.A	P.O.A



Additional Ordering Information

VK2843/2883/2923

Available Temp. Ratings / Suffix

165°F (74°C) = C  
205°F (96°C) = E  
280°F (138°C) = G \*  
\* N/A with VK292

**VK2883 also available in white finish with chrome escutcheon at same price as white finish. Use suffix MF\_/W**

Standard Wrench  
**VK2843 and VK2883**  
07297W/B \$156.03

Recessed Wrench for VK2923 Model  
07565W/B \$200.28

Dry Spk Replacement Escutcheons  
Std. Adj. - Chrome 08086F \$10.44  
Std. Adj. - White 08086M/W \$10.44  
Rec. Adj. - Chrome 05459AF \$7.58  
Rec. Adj. - White 05459AM/W \$7.58

Dry Sprinkler Boot  
22087M/W \$64.44

**Quick/Standard Response**

**5.6 (81) K Factor** (1/2" orifice)

**EXTENDED COVERAGE**

**Pendent / Sidewall (1" NPT)**

**Glass Bulb**

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)

Ex: VK186, white, 155 °F, 6" length

Part Number: 10541UMB/W06

**VK186 - Pendent**  
Recessed Adjustable  
Base P/N: 10541U



order in 1/4" increments


**VK188 - Horiz. Sidewall**  
Recessed Adjustable  
Base P/N: 10542U



order in 1/4" increments

Item Price Group: V187 (ENT Finish: IPG V188)

**VK186 - Recessed Adj.** Length (L) - A Dimension  
base p/n - 10541U(f)(t)(l)




		LIST PRICES and Available Finishes		
		Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
3 1/4" - 6"	(83 - 152mm)	\$368.52	\$377.49	\$492.56
6 1/4" - 9"	(159 - 229mm)	\$377.49	\$386.36	\$501.40
9 1/4" - 12"	(235 - 305mm)	\$390.77	\$399.67	\$514.71
12 1/4" - 15"	(311 - 381mm)	\$421.87	\$430.78	\$545.83
15 1/4" - 18"	(387 - 457mm)	\$444.06	\$452.94	\$568.00
18 1/4" - 21"	(464 - 533mm)	\$470.71	\$479.54	\$594.60
21 1/4" - 24"	(540 - 610mm)	\$506.25	\$515.10	\$630.15
24 1/4" - 27"	(616 - 686mm)	\$528.46	\$537.26	\$652.34
27 1/4" - 30"	(692 - 762mm)	\$541.73	\$550.61	\$665.68
30 1/4" - 33"	(768 - 838mm)	\$572.88	\$581.73	P.O.A
33 1/4" - 36"	(845 - 914mm)	\$603.93	\$612.82	P.O.A

\*contact customer service for lengths over standard

Item Price Group: V187 (ENT Finish: IPG V188)

**VK188 - Recessed Adj.** Length (L) - A Dimension  
base p/n - 10542U(f)(t)(l)



		LIST PRICES and Available Finishes		
		Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
3 1/4" - 6"	(83 - 152mm)	\$390.77	\$399.67	\$514.71
6 1/4" - 9"	(159 - 229mm)	\$399.67	\$408.56	\$523.62
9 1/4" - 12"	(235 - 305mm)	\$408.56	\$417.45	\$532.49
12 1/4" - 15"	(311 - 381mm)	\$444.06	\$452.94	P.O.A
15 1/4" - 18"	(387 - 457mm)	\$470.71	\$479.54	\$594.60
18 1/4" - 21"	(464 - 533mm)	\$488.48	\$497.34	\$612.39
21 1/4" - 24"	(540 - 610mm)	\$537.26	\$546.10	P.O.A
24 1/4" - 27"	(616 - 686mm)	\$563.88	\$572.85	P.O.A
27 1/4" - 30"	(692 - 762mm)	\$586.17	\$595.08	P.O.A
30 1/4" - 33"	(768 - 838mm)	\$608.42	\$617.27	P.O.A
33 1/4" - 36"	(845 - 914mm)	\$630.56	\$639.41	P.O.A

\*contact customer service for lengths over standard

**Additional Ordering Information**  
VK186 / VK188

**Available Temp. Ratings / Suffix**

155°F (68°C) = B  
175°F (79°C) = D

**Recessed Wrench for VK186 & VK188**

07565W/B \$200.28

**Sprinkler Guard for Upright/Pendent**

08954 \$42.78

**Dry Spk Replacement Escutcheons**

Rec. Adj. - Chrome  
05459AF \$7.58

Rec. Adj. - White  
05459AM/W \$7.58

**Dry Sprinkler Boot**



22087M/W \$64.44

Electroless Nickel PTFE (ENT) coating is for corrosion resistance.




**Quick/Standard Response**  
**5.6 (81) K Factor** (1/2" orifice)  
**Std /Ext Coverage**  
**Pendent / 1" NPT**  
**Glass Bulb**

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)  
**Ex: VK196, brass, 155°F, 10.75" long**  
**Part Number: 12423UAB1075**

<b>VK194 - Std. Coverage</b> <b>DOMED CONCEALED</b> Base P/N: <u>12422U</u>	<b>VK196 - Ext. Coverage</b> <b>DOMED CONCEALED</b> Base P/N: <u>12423U</u>
	
order in 1/4" increments	order in 1/4" increments

Item Price Group: V187


VK194 - 5.6 K Factor base p/n - 12422U(f)(t)(l)	Length (L) - A Dimension	LIST PRICES
		Standard Brass (A_)
	4 - 6" (101 - 152mm)	\$414.92
	6 1/4 - 9" (159 - 229mm)	\$421.54
	9 1/4 - 12" (235 - 305mm)	\$434.84
	12 1/4 - 15" (311 - 381mm)	\$481.30
	15 1/4 - 18" (387 - 457mm)	\$501.25
	18 1/4 - 21" (464 - 533mm)	\$537.77
	21 1/4 - 24" (540 - 610mm)	\$580.91
	24 1/4 - 27" (616 - 686mm)	\$614.10
	27 1/4 - 30" (692 - 762mm)	\$630.70
	30 1/4 - 33" (768 - 838mm)	\$663.90
	33 1/4 - 36" (845 - 914mm)	\$707.03



\*contact customer service for lengths over standard

Item Price Group: V187

VK196 - 5.6 K Factor base p/n - 12423U(f)(t)(l)	Length (L) - A Dimension	LIST PRICES
		Standard Brass (A_)
	4 - 6" (101 - 152mm)	\$431.55
	6 1/4 - 9" (159 - 229mm)	\$438.20
	9 1/4 - 12" (235 - 305mm)	\$454.76
	12 1/4 - 15" (311 - 381mm)	\$497.93
	15 1/4 - 18" (387 - 457mm)	\$521.12
	18 1/4 - 21" (464 - 533mm)	\$554.36
	21 1/4 - 24" (540 - 610mm)	\$600.83
	24 1/4 - 27" (616 - 686mm)	\$630.70
	27 1/4 - 30" (692 - 762mm)	\$647.30
	30 1/4 - 33" (768 - 838mm)	\$683.83
	33 1/4 - 36" (845 - 914mm)	\$723.66



\*contact customer service for lengths over standard

Domed Cover Plates (sold separately)				
Finish	Temp	Part #	IPG	List Price
Chrome	135°F	12381FA	V15.3	\$59.28
Chrome	165°F	12381FC	V15.3	\$59.28
Painted White	135°F	12381MA/W	V15.3	\$59.28
Painted White	165°F	12381MC/W	V15.3	\$59.28
Painted Ivory	135°F	12381MA/I	V15.3	\$75.32
Painted Ivory	165°F	12381MC/I	V15.3	\$75.32
Painted Black	135°F	12381MA/B	V15.3	\$75.32
Painted Black	165°F	12381MC/B	V15.3	\$75.32

NOTE: Use 135°F/57°C cover plate with 155°F/68°C rated dry sprinklers. Use 165°F/74°C domed cover plate with 175°F/79°C and 200°F/93°C rated dry sprinklers.

Additional Ordering Information  
VK194

Available Temp. Ratings / Suffix  
155°F (68°C) = B  
175°F (79°C) = D  
200°F (93°C) = E

Additional Ordering Information  
VK196

Available Temp. Ratings / Suffix  
135°F (57°C) = A  
155°F (68°C) = B  
175°F (79°C) = D

Wrench - Domed Concealed  
07565W/B \$200.28

Dry Sprinkler Boot  
22087M/W \$64.44

**Quick Response**

**Recessed Flush-Style Sprinkler**

**5.6 (81) K Factor** (1/2" orifice)

**Light and Ordinary Hazard**

**Pendent (1" NPT)**

**Fusible Link**

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)

Ex: VK482, white, 165 °F, 7- 1/4" length

Part Number: 18385MC/W0725

**VK482 - Recessed**  
**Flush-Style Pendent**  
Base p/n: 18385M(t) /W(l)



order in 1/4" increments

Item Price Group: V189

VK482-Flush Concealed base p/n - 18385(f)(t)(l)	Length (L) - A Dimension	LIST PRICES
		White (M_/W)
	4 1/2" - 6" (114 - 152mm)	\$480.29
	6 1/4" - 9" (159 - 229mm)	\$492.28
	9 1/4" - 12" (235 - 305mm)	\$504.26
	12 1/4" - 15" (311 - 381mm)	\$516.24
	15 1/4" - 18" (387 - 457mm)	\$528.39
	18 1/4" - 21" (464 - 533mm)	\$540.36
	21 1/4" - 24" (540 - 610mm)	\$552.34
	24 1/4" - 27" (616 - 686mm)	\$564.34
	27 1/4" - 30" (692 - 762mm)	\$576.33
	30 1/4" - 33" (768 - 838mm)	\$588.29
	33 1/4" - 36" (845 - 914mm)	\$592.29

**Additional Ordering Information**  
VK482

**Available Temp.**

**Ratings / Suffix**

165°F (74°C) = C

205°F (96°C) = E

**Recessed Wrench**

**for VK482**

18315W/B \$218.56

**VK482 Replacement**

**Escutcheon**

**White**

18386M/W \$37.38

\* Please contact customer service for list prices for lengths over 36 inches (914 mm)

Viking's Model VK482 dry sprinkler is cULus Listed to be installed with the element recessed up to 1/2 inch (12 mm) above the plane of the ceiling. See technical data sheet for details.

**Standard Response - ELO**




**11.2 (161.3) K Factor** (5/8" orifice)

**Standard Coverage**

**Pendent / 1-1/4" NPT**


**Fusible Link**

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches dry ELO sprinklers offered in standard lengths of 6 inch increments (12-48"))

<b>VK544</b> <i>Plain Barrel</i> Base P/N: <b>19830</b>	<b>VK546</b> <i>Standard Adjustable</i> Base P/N: <b>19840</b>	<b>VK545</b> <i>Recessed Adjustable</i> Base P/N: <b>19835</b>
		
<b>1-1/4" NPT Thread Size</b>	<b>1-1/4" NPT Thread Size</b>	<b>1-1/4" NPT Thread Size</b>

Item Price Group: V190

**VK544 - Plain Barrel**  
base p/n - 19830(f)(t)(l)



Length (L) - A Dimension <sup>1</sup>	LIST PRICES and Available Finishes		
	Standard Brass (A_)	Polished Chrome (F_)	White (M_/W)
12" (305 mm)	\$889.16	\$889.16	\$889.16
18" (457 mm)	\$938.55	\$938.55	\$938.55
24" (610 mm)	\$987.95	\$987.95	\$987.95
30" (762 mm)	\$1,037.35	\$1,037.35	\$1,037.35
36" (914 mm)	\$1,086.75	\$1,086.75	\$1,086.75
42" (1067 mm)	\$1,136.14	\$1,136.14	\$1,136.14
48" (1219 mm)	\$1,169.07	\$1,169.07	\$1,169.07

**Additional Ordering Information**

VK544/546/545

**Available Temp. Ratings / Suffix**


165°F (74°C) = C  
205°F (96°C) = E  
280°F (138°C) = G \*  
\* N/A with VK545

**Recessed Wrench for VK545 Model<sup>2</sup>**

19748W/B \$238.67

Item Price Group: V190

**VK546 - Standard Adj.**  
base p/n - 19840(f)(t)(l)



Length (L) - A Dimension <sup>1</sup>	LIST PRICES and Available Finishes	
	Polished Chrome (F_)	White (M_/W)
12" (305 mm)	\$889.16	\$889.16
18" (457 mm)	\$938.55	\$938.55
24" (610 mm)	\$987.95	\$987.95
30" (762 mm)	\$1,037.35	\$1,037.35
36" (914 mm)	\$1,086.75	\$1,086.75
42" (1067 mm)	\$1,136.14	\$1,136.14
48" (1219 mm)	\$1,169.07	\$1,169.07


**Dry ELO Replacement Escutcheons**

Std. Adjustable

19730F \$10.08  
19730M/W \$10.08

Item Price Group: V190

**VK545 - Recessed Adj.**  
base p/n - 19835(f)(t)(l)



Length (L) - A Dimension <sup>1</sup>	LIST PRICES and Available Finishes	
	Polished Chrome (F_)	White (M_/W)
12" (305 mm)	\$889.16	\$889.16
18" (457 mm)	\$938.55	\$938.55
24" (610 mm)	\$987.95	\$987.95
30" (762 mm)	\$1,037.35	\$1,037.35
36" (914 mm)	\$1,086.75	\$1,086.75
42" (1067 mm)	\$1,136.14	\$1,136.14
48" (1219 mm)	\$1,169.07	\$1,169.07

- (1) Additional lengths available on special request (FM Approved, 12-48").
- (2) Plain barrel and standard adjustable use a pipe wrench on inlet housing.

**Quick Response - ELO**

**11.2 (161.3) K Factor** (5/8" orifice)

**Standard Coverage**

**Pendent / 1-1/4" NPT**


**Fusible Link**

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches dry ELO sprinklers offered in standard lengths of 6 inch increments (12-48"))

<u>VK547</u> Plain Barrel Base P/N: 19828	<u>VK549</u> Standard Adjustable Base P/N: 19838	<u>VK548</u> Recessed Adjustable Base P/N: 19833
1-1/4" NPT Thread Size	1-1/4" NPT Thread Size	1-1/4" NPT Thread Size

Item Price Group: V190

**VK547 - Plain Barrel**  
base p/n - 19828(f)(t)(l)



Length (L) - A Dimension <sup>1</sup>	LIST PRICES and Available Finishes		
	Standard Brass (A_)	Polished Chrome (F_)	White (M_/W)
12" (305 mm)	\$971.48	\$971.48	\$971.48
18" (457 mm)	\$1,020.87	\$1,020.87	\$1,020.87
24" (610 mm)	\$1,070.27	\$1,070.27	\$1,070.27
30" (762 mm)	\$1,119.67	\$1,119.67	\$1,119.67
36" (914 mm)	\$1,169.07	\$1,169.07	\$1,169.07
42" (1067 mm)	\$1,218.46	\$1,218.46	\$1,218.46
48" (1219 mm)	\$1,251.41	\$1,251.41	\$1,251.41

Additional Ordering Information

VK547/549/548

Available Temp.

Ratings / Suffix

165°F (74°C) = C

205°F (96°C) = E

280°F (138°C) = G \*

\* N/A with VK548

Recessed Wrench

for VK545 Model<sup>2</sup>

19748W/B \$238.67

Dry ELO Replacement

Escutcheons


Std. Adjustable

19730F \$10.08

19730M/W \$10.08

Item Price Group: V190


**VK549 - Standard Adj.**  
base p/n - 19838(f)(t)(l)



Length (L) - A Dimension <sup>1</sup>	LIST PRICES and Available Finishes	
	Polished Chrome (F_)	White (M_/W)
12" (305 mm)	\$971.48	\$971.48
18" (457 mm)	\$1,020.87	\$1,020.87
24" (610 mm)	\$1,070.27	\$1,070.27
30" (762 mm)	\$1,119.67	\$1,119.67
36" (914 mm)	\$1,169.07	\$1,169.07
42" (1067 mm)	\$1,218.46	\$1,218.08
48" (1219 mm)	\$1,251.41	\$1,251.41

Item Price Group: V190

**VK548 - Recessed Adj.**  
base p/n - 19833(f)(t)(l)



Length (L) - A Dimension <sup>1</sup>	LIST PRICES and Available Finishes	
	Polished Chrome (F_)	White (M_/W)
12" (305 mm)	\$971.48	\$971.48
18" (457 mm)	\$1,020.87	\$1,020.87
24" (610 mm)	\$1,070.27	\$1,070.27
30" (762 mm)	\$1,119.67	\$1,119.67
36" (914 mm)	\$1,169.07	\$1,169.07
42" (1067 mm)	\$1,218.46	\$1,218.46
48" (1219 mm)	\$1,251.41	\$1,251.41

- (1) Additional lengths available on special request (FM Approved, 12-48").
- (2) Plain barrel and standard adjustable use a pipe wrench on inlet housing.