

**VEVX.EX2800**
Gauges, Pressure[Page Bottom](#)

Gauges, Pressure[See General Information for Gauges, Pressure](#)**ASHCROFT INC**

EX2800

250 E MAIN ST
STRATFORD, CT 06614 USA

Bourdon spring type, Models 35-W1000A-02L-XUL, 35-W1001A-02L-XUL, 35-W1005P-02L-XUL, pressure gauges in 3 1/2 in. size in ranges 0-80 (250 retard) psi, 0-100 psi, 0-150 psi, 0-250 psi, 0-300 psi, 0-600 psi.

[Last Updated](#) on 2007-12-11

[Questions?](#)[Notice of Disclaimer](#)[Page Top](#)[Copyright © 2008 Underwriters Laboratories Inc.®](#)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2008 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.





VEVX.EX5232 Gauges, Pressure

[Page Bottom](#)

Gauges, Pressure

[See General Information for Gauges, Pressure](#)

WIKA INSTRUMENT CORP
1000 WIEGAND BLVD
LAWRENCEVILLE, GA 30043 USA

EX5232

Bourdon spring type, Model 111.10, size 4 in. with dials graduated 0-300 psi, 0-400 psi and 0-80-250 (retard).

[Last Updated](#) on 2009-09-18

[Questions?](#)

[Print this page](#)

[Notice of Disclaimer](#)

[Page Top](#)

© 2012 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2012 UL LLC".